



























INDIVIDUAL FOOTWEAR | 2024



KLAVENESS



## SYMBOLS

 Last Läst Lästi	 Upper Overlær Material Päälinen	 Velcro® strap w/ return Borrelås m/retur Vändsölja Tarranauha lenkin kautta	 Zipper Glidelås Blixtlås Vetoketju
 Last size range Størrelse Storlek Koot	 Stretch material Stretch materiale Stretch material Strech materiaali	 Double Velcro strap w/ return Dobbel borrelås m/retur Dubbla vändsöljor Kaksi tarranauhaa lenkin kautta	 Double zipper Dobbel glidelås Dubbla blixtlås Kaksi vetoketjuja
 Multiple widths Flere vidder Olika vidder Eri leveyksiä	 Lining För Foder Vuori	 Patented adjustment system for Velcro w/ return Patentert reguleringsfunksjon for borrelås m/ retur Patenterad regleringsfunktion för vändsölja Patentoitu säädettävä tarranauha lenkin kautta	 Dial fastening Vriknapp lukkesystem Vridknappsspänne Dial fastening
 Weight Vekt Vikt Paino	 Sole Såle Sula Pohja	 Cut-to-length straps Avklipp bare borrelåser Avklippbara kardborreband Lyhennettävät tarranauhat	 BOA® Fit System BOA snøresystem BOA stängningsmekanism BOA kiristysmekanismi
 Quarter girth Skaft omkrets Skaft omkrets Varren ympärysmitta	 Track thickness Såletykkelse Slitsuls tjocklek Ulkopohjan paksuus	 Removable 3 mm extra fitting insole Justerbar 3 mm innleggssåle Justerbar genom 3 mm distans Irrotettava 3 mm extra pohjallinen	 Bellows tongue Belg pløse Bälgløs Umpi-itti
 Heel height Hælhöhe Klackhöjd Kannan korkeus	 Lightweight sole Lett såle Lättviktssula Kevyt pohjamateriaali	 Ice sole w/ patented twistable stud part Ice såle med patentert vribar brodd Ice sole med patenterad vändbar broddplatta Ice pohjassa patentoitu käännettävä nastaosaa	 Water-repellent construction Vannavstøtende Vattenavvisande konstruktion Vettähylyvä rakenne
 Quarter height Skaftthøide Skaftthöjd Varren korkeus	The quarter height is measured from the inside of the boot, without a footbed, on the middle lateral side of the shaft.		 Sole suitable for ice studs Såle tilpasset bruk med ispigger Sula lämplig för isdubbar Nastoille soveltuva pohja

The displayed information refers to sample sizes 38 EU or 4,5 UK (women), 42 EU (men/unisex) and 31 EU (children).

## LASTS COMPARISON CHART

Find the complete charts at [klaveness.no/downloads](http://klaveness.no/downloads)

	Last Läst Lästi	Last width Vidde Vidd Leveys	Ball girth Ball omkrets Ball omkrets Päkiän ympärys	Instep Vrist Spänn Rinta	Short heel Pådrag Pådrag Pootra	Insole length Bindsåle lengde Bindsule längd Sisäpohjan pituus	Ball width Ballbredde Ball vidd Päkiän leveys	Insole ball width Ballbredde Ball vidd Päkiän leveys	Toe thickness Tåhøyde Tåhöjd Varvskorkeus
Children 31 EU	Hiker	J	210	218	289	207	75		25
	Hiker Orthotic	L	220	234	310	207	75		29
	Nemo TN2 (Narrow)	D	191	187	269	205	-	70	27
	Nemo TN4 (Standard)	F	197	195	277	205	-	73	27
	Nemo TN6 (Wide)	H	205	210	282	205	-	76	27
	Nemo TN8 (Orthotic)	K	223	233	304	205	-	80	32
	Tracer	J	210	218	289	206	75		25
Women 31 EU 5 UK	Tracer Orthotic	L	220	234	310	206	75		29
	Lisa Extra - Narrow	G	231	248	341	253	85		26
	Lisa Extra	K	244	258	353	253	92		26
	Lisa Extra - Wide	N	259	268	366	253	99		26
	Ortho - Narrow	H	235	228	312	253	84		24
	Ortho - Slim Heel/Reduced Instep	L	249	243	329	253	92		24
	Ortho	L	249	252	347	253	92		24
Men 42 EU	Ortho - Wide	O	263	260	354	253	100		24
	Jo	N	276	278	373	280	100		33
	Thor	M	272	266	368	291	103		28
	Thor - Narrow	K	260	257	354	280	92		27
	Thor - Slim Heel/Reduced Instep	N	273	261	347	280	99		27
	Thor	N	273	270	365	280	99		27
	Thor - Wide	P	287	283	377	280	106		30
Unisex 42 EU	Free	K	263	264	366	282	99		30
	Free Wide <b>NEW</b>	N	277	265	364	282	106		30
	Footform	K	259	268	360	275	99		28
	Nåbling	S	298	306	403	282	102		45
	Naturform	L	266	284	367	274	102		35
Rehab	N	277	277	374	275	96		36	

## CONTENTS

KIDS	WOMEN	UNISEX	TREATMENT PURPOSE
<b>Nemo</b>	<b>Lisa Extra</b>	<b>Free</b>	<b>Nåbling</b>
Sandals 10	Sandals 28	Shoes 56	Sandals 82
Shoes 13	Shoes 30	Boots 60	Shoes 82
Boots 13	Boots 33		Boots 83
	High Boots 36	<b>MEN</b>	<b>Footform</b>
<b>Tracer</b>	<b>Ortho</b>		Shoes 83
Sandals 17	Sandals 38	<b>Jo</b>	<b>New Rehab</b>
	Shoes 39	Shoes 66	Sandals 84
<b>Hiker</b>	Boots 52	Boots 67	Shoes 85
Shoes 19	High Boots 53		Boots 86
Boots 21		<b>Thor</b>	
		Sandals 68	
		Shoes 69	
		Boots 76	
		<b>Thom</b>	
		Shoes 79	
		Boots 79	
			<b>Soles</b>
			Standard Soles 88
			Built and Milled EVA Soles 98
			<b>Materials</b>
			Recommended colours 102
			Linings 104
			Fitting stock 105
			Size charts 106
			FIA Discontinued styles 106
			Older styles 107
			<b>CMF NEW</b> 108

Art.	Page	Art.	Page	Art.	Page	Art.	Page	Art.	Page	Art.	Page
FM 0555	51	FM 0947	50	FM 1037	37	FM 1083 <b>NEW</b>	56	FM 1408	77	FM 9369	12
FM 0567	42	FM 0949	36	FM 1037-1	37	FM 1309	75	FM 1420	76	FM 9370	15
FM 0700	85	FM 0975	31	FM 1038	52	FM 1312	75	FM 1422	79	FM 9373	13
FM 0701	85	FM 0982	40	FM 1039	33	FM 1323	68	FM 1423	68	FM 9374	16
FM 0702	84	FM 0986	31	FM 1045	38	FM 1330	70	FM 1425	79	FM 9375	15
FM 0704	86	FM 0987	28	FM 1046	29	FM 1330-1	70	FM 1427	67	FM 9376	14
FM 0709	84	FM 0988	46	FM 1058	47	FM 1369	78	FM 1428	79	FM 9377	10
FM 0716	84	FM 0988-1	46	FM 1062	62	FM 1374	78	FM 1429	60	FM 9378	11
FM 0870	82	FM 0989	32	FM 1063	62	FM 1380	74	FM 1430 <b>NEW</b>	69	FM 9383	11
FM 0870-1	82	FM 0989-1	32	FM 1064	64	FM 1381	75	FM 1431 <b>NEW</b>	69	FM 9384	19
FM 0871	82	FM 0990	28	FM 1066	35	FM 1382	71	FM 1497	66	FM 9385	21
FM 0872	83	FM 0991	30	FM 1068	56	FM 1384	78	FM 1497-1	66	FM 9391 <b>NEW</b>	21
FM 0872-1	83	FM 0994	33	FM 1069	59	FM 1388	72	FM 6149	39	FM 9393 <b>NEW</b>	13
FM 0912	40	FM 1002	34	FM 1071 <b>NEW</b>	59	FM 1388-1	72	FM 9321	17	FM 9396 <b>NEW</b>	19
FM 0914	49	FM 1008	47	FM 1072	34	FM 1391	83	FM 9323	18	FM 10130	39
FM 0919	41	FM 1011	72	FM 1073	58	FM 1392	66	FM 9333	24	FM 14662	52
FM 0919-1	41	FM 1012	45	FM 1074 <b>NEW</b>	53	FM 1393	71	FM 9338	22	FM 15268	29
FM 0929	38	FM 1013	74	FM 1075 <b>NEW</b>	61	FM 1394	67	FM 9338-1	22	FM 15612	107
FM 0938	40	FM 1026	49	FM 1076 <b>NEW</b>	48	FM 1395	77	FM 9357	25	FM 16125	30
FM 0939	43	FM 1028	50	FM 1079 <b>NEW</b>	57	FM 1404	73	FM 9358	20	FM 16142	42
FM 0941	48	FM 1034	44	FM 1081 <b>NEW</b>	57	FM 1405	73	FM 9358-1	20	FM 16142-1	42
FM 0946	54	FM 1036	45	FM 1082 <b>NEW</b>	63	FM 1407	76	FM 9359	23	FM 19140	43

---

IN PORTUGAL, KLAVENESS FOOTWEAR SA IS CERTIFIED UNDER THE **ISO 14001** ENVIRONMENTAL MANAGEMENT SYSTEMS AND THE **ISO 9001** QUALITY MANAGEMENT SYSTEMS.





KLAVENESS

## KLAVENESS FOOTWEAR TOTAL CONCEPT

Klaveness provides unique solutions for footwear with specific needs. The footwear customisation is divided into different levels to target those individual needs and find the best solution!



### READY-MADE FOOTWEAR

MSS, REHABILITATION

### MSS (SUPPORTIVE & REHABILITATION FOOTWEAR) MEDICAL STOCK SHOES

Supportive footwear with high quality materials, depth for custom foot orthotics and easy adjusting.

Rehabilitation footwear for prevention, rehabilitation and treatment.

### CMF CUSTOM-MADE FOOT ORTHOTICS

Designed to correct or accommodate target-specific needs.

### FIA FOOTWEAR WITH INDIVIDUAL ADJUSTMENTS

Standard adaptations, standard lasts. Easy solutions for the most common foot problems.

### OAS ORTHOPAEDIC ON ADJUSTED STANDARD LAST

Advanced adaptations, adjusted standard lasts. Solutions for more demanding feet.

### OIL ORTHOPAEDIC ON INDIVIDUAL LAST

Limitless adaptations, individual lasts. Solutions for the most severe foot problems.




## DIAL FASTENERS

WE WILL DELIVER BOA FIT SYSTEM  
ONLY IF THE ORIGINAL STYLE  
INCLUDES BOA  
(meaning it was approved by BOA)

AND


IF IT IS ORDERED AS **FIA**



WE WILL ALWAYS APPLY A DIAL FASTENER  
TO ANY STYLE ORDERED AS

**OAS** OR **OIL**

(to enable higher levels of customisation)



## WATER-REPELLENT CONSTRUCTION WITH W-TEX

Footwear with this symbol  
is designed to include  
waterproof membrane



+

W-TEX

=

HIGHER LEVELS OF  
WATER RESISTANCE

Although it is always challenging to guarantee full waterproof levels when designing customised footwear, specific materials, construction features, and some production methods can enhance footwear's resistance to water.

Klaveness has an assortment of certified waterproof stock styles that constitute the best basis for individually adjusted footwear if you need water resistance. These can include bellows tongue, coated split mudguards, hooks, and, if required, water repellent membrane (W-tex) for linings, preparing your footwear to face the harshness of Nordic winters.

**Keep in mind!**

When placing your order,  
you must select  
"W-tex (water repellent)"

# UPPER COLOUR/MATERIALS

## HOW DO WE REPRESENT THEM?


Each upper colour/material is represented by a three digit code (e.g. Dune Nappa is 541).

1 COLOUR



541  
Dune Nappa

The codification order starts from the front of the shoe towards the heel.



If an upper has more than one code, we'll display a hyphen (-) between them (e.g. Dune Nappa, Light Brown Nubuck, Orange Chevreau is 541-572-981).

3 COLOURS



541-572-981  
Dune Nappa, Light Brown Nubuck, Orange Chevreau

## HOW CAN YOU CHOOSE THEM?

**VERY EASY WAY**  
SAME COLOURS,  
SAME POSITION

→ FOLLOW THE RECOMMENDED COMBINATIONS DISPLAYED IN THIS CATALOGUE

Choose an article and colour combination from this catalogue. In your order, insert the **displayed** code(s). No further action is needed.

We will produce it accordingly.



DIFFICULTY

2 COLOURS



3 COLOURS



4 COLOURS



541 572 981



**EASY WAY**  
NEW COLOURS,  
SAME POSITION

→ REPLACE THE COLOURS WITH THE ONES YOU GO FOR, BUT KEEP THEIR ORIGINAL POSITION

Customise your article by choosing different colours/materials. Be sure to follow one of the suggested positions displayed in this catalogue.

In your order, insert the **new** codes.

We will produce it accordingly.



DIFFICULTY

3 COLOURS



946 926 786

1st 2nd 3rd



**NOT SO EASY WAY** → CHOOSE YOUR COMBINATION: REPLACE THE COLOURS AND CHANGE THEIR POSITION

Fully customise your article using different colours/materials on distinct parts of the shoe.

To produce it correctly, we need clear instructions.

Please go to [idb.klaveness.no/drawings](http://idb.klaveness.no/drawings), download the drawing of the article, place the new codes and mark where you want them. Attach it to your order.



DIFFICULTY

All colour/material options are presented at [klaveness.no](http://klaveness.no), in the Materials Guide section



KLAVENESS



# INDIVIDUAL FOOTWEAR

## FOOTWEAR ADAPTATIONS

Using our Individual Footwear options, you can modify the footwear to meet your patient's requirements. We offer a full range of adaptations on all our footwear. A range of modifications to both last and styles can be done, and are categorised as below.

### FIA FOOTWEAR WITH INDIVIDUAL ADJUSTMENTS

FIA footwear is made on a standard last and can have some modifications, including extra depth or width, but cannot affect the bottom shape of the last or require pattern/upper alteration.

The styles displayed in this catalogue can be modified in specific areas to achieve an optimal fit. They are available as "Recommended colour combinations" on the Online Configurator to help you through the process. Other upper material options are available online.

- Add adjustments: extra volume, heel stiffener, rocker sole, raise, wedge or flare.
- Change standard lining material.
- Choose the sole, i.e. standard PU, EVA or rubber soles; built EVA (with attached welt) or milled EVA (that allow external raise) soles.

### OAS ORTHOPAEDIC ON ADJUSTED STANDARD LAST

Modifications to the last - including extra depth or width - that require an individual bottom shape, custom-made soles and pattern/upper adaptations, can be ordered as OAS.

- Select any style to match any of our available lasts.
- Change uppers pattern: move instep up, move opening forward, etc.
- Add padding to vamps, quarters or full uppers.
- Standard opening or low opening can be requested.
- Raising or lowering of back height or top line.
- Opening or closing of lace gap.
- Shortening or lengthening of Velcro straps.
- Moving tab position to assist foot entry.
- Re-positioning of seams to avoid problem areas of the foot.

### OIL\* ORTHOPAEDIC ON INDIVIDUAL LAST

Some style ideas are suggested within this catalogue. However, we can make other styles to suit your patients' requests.

Being the manufacturer, we can meet your requirements.

OIL includes extensive modifications to the last requiring individual bottom shapes, bespoke soling and complete new patterns.

- Velcro, lace or zipper fasteners can be incorporated into the footwear.
- Shortening or lengthening of Velcro straps.
- Make additions to prominent bones, etc.

(\* Available in some markets only)



# KIDS COLLECTION

This catalogue displays the standard configuration (FIA) for each style

All colour/material options are presented in the Materials Guide section with detailed information

All styles in this catalogue are available as FIA, OAS and OIL

Upper and lining material samples are available on request

DISCOVER MORE AT  
KLAVENESS.NO

OR ASK YOUR LOCAL  
CUSTOMER SERVICE



---

post@klaveness.no  
info@klaveness.se  
asiakaspalvelu@klaveness.fi



NEMO TN2, TN4, TN6, TN8


FM 9377


  
 20-44
   
 Leather L110, L111
   
 916-900
   
 Pink Nubuck
   
 Pink Textile
   
 SOLE | S511 EVA, Rubber 



208-786  
Black Split Velour, Grey Nubuck  
SOLE | S002C EVA, Rubber



273-786  
Black Nappa, Grey Nubuck  
SOLE | S517 EVA, Rubber 

Choose a Built or Milled Sole solution for all sizes and widths on page 98





596-102  
Mustard Nubuck, White Nappa  
SOLE | S001B EVA, Rubber



786-981  
Grey Nubuck, Orange Chevreau  
SOLE | S517 EVA, Rubber 



862  
Blue Waxed Nubuck  
SOLE | S511 EVA, Rubber 



821-800  
Blue Nappa, Blue Textile  
SOLE | S511 EVA, Rubber 

## NEMO TN2, TN4, TN6, TN8

## FM 9383



20-44

Leather L110, L111

11 cm 17 cm

821

Blue Nappa

SOLE | S557 EVA, Rubber



## FM 9378



20-44

Leather L110, L111

11 cm 20 cm

518-144-981

Beige Split Velour

Gold Metallic Nappa

Orange Chevreau

SOLE | S511 EVA, Rubber

916-900  
Pink Nubuck, Pink Textile

SOLE | S511 EVA, Rubber

980-786-700  
Pink Printed Nubuck, Grey Nubuck, Grey Textile

SOLE | S511 EVA, Rubber

NEMO TN2, TN4, TN6, TN8

FM 9369

	20-44		
	Leather L110, L111		
	10.5 cm		16 cm
786-566-257			
Grey Nubuck			
Yellow Nubuck			
Black Textile			
SOLE	S517 EVA, Rubber		



**MATCHES**  
FITTING STOCK   
ME PRV20TN4



Removable and padded tongue included

202  
Black Nappa

SOLE | S517 EVA, Rubber



202-208-257  
Black Nappa, Black Split Velour, Black Textile  
SOLE | S517 EVA, Rubber



566-257  
Yellow Nubuck, Black Textile  
SOLE | S517 EVA, Rubber



862  
Blue Waxed Nubuck  
SOLE | S511 EVA, Rubber



NEMO TN2, TN4, TN6, TN8

FM 9373



20-44

Leather  
L301, L302, L401, L701

916-902

Pink Nubuck  
Fuxia Nappa

SOLE | S553 EVA, Rubber



862-981  
Blue Waxed Nubuck, Orange Chevreau

SOLE | S553 EVA, Rubber

FM 9393

NEW!



20-44

Textile L204

12 cm 22 cm

251-886-878-877

Black Coated Split  
Blue Nubuck  
Blue Split Velour  
Blue Textile

SOLE | SE93 EVA, Rubber

This style is produced without bellows tongue when ordered in Nemo TN8 (orthotic)



In FIA, this style is delivered with a reflective edge that cannot be changed



251-208-279  
Black Coated Split, Black Split Velour, Black Textile

SOLE | S557 EVA, Rubber





393-397  
Camel Nappa, Camel Waxed Nubuck

SOLE | SE91 EVA, Rubber


NEMO TN2, TN4, TN6, TN8

FM 9376

	
	20-44
	Leather L110, L111
	10 cm
	20 cm
654-658	
Olive Waxed Nubuck	
Olive Split Velour	
SOLE	S553 EVA, Rubber 



Choose a Built or Milled Sole solution for all sizes and widths on page 98


243  
Black Nappa  
SOLE | S554 EVA, Rubber 



456-541  
Camel Chevreau Velour, Dune Nappa  
SOLE | S001B EVA, Rubber



**MATCHES**  
FITTING STOCK   
ME PRV26TN2  
ME PRV25TN4  
ME PRV24TN8

898  
Dark Blue Split Velour  
SOLE | S553 EVA, Rubber 



916  
Pink Nubuck  
SOLE | SE74 EVA, Vibram Newflex



## NEMO TN2, TN4, TN6, TN8

## FM 9370



20-44


Textile L714

8 cm 15 cm


251-566-257  
Black Coated Split  
Yellow Nubuck  
Black Textile

SOLE | S553 EVA, Rubber 


251-212-257  
Black Coated Split, Black Waxed Nubuck,  
Black Textile

SOLE | S554 EVA, Rubber 


251-572-212-257  
Black Coated Split, Light Brown Nubuck,  
Black Waxed Nubuck, Black Textile

SOLE | S553 EVA, Rubber 

251-862-981-877  
Black Coated Split, Blue Waxed Nubuck,  
Orange Chevreau, Blue Textile

SOLE | S557 EVA, Rubber 

251-946-900  
Black Coated Split, Burgundy Nubuck, Pink Textile

SOLE | S553 EVA, Rubber 

## FM 9375




20-44

Textile L204

12 cm 20 cm

541-572-981  
Dune Nappa  
Light Brown Nubuck  
Orange Chevreau


SOLE | S553 EVA, Rubber 

243-246  
Black Nappa, Black Waxed Nubuck

SOLE | SE3 EVA, TR



926-737  
Red Nubuck, Grey Pig Velour

SOLE | S557 EVA, Rubber 

NEMO TN2, TN4, TN6, TN8

FM 9374

	20-44
	Warm L217, L317
	14 cm
	20 cm
260-279-862	
Black Coated Split	
Black Textile	
Blue Waxed Nubuck	
SOLE	S554 EVA, Rubber

This style is produced without bellows tongue when ordered in Nemo TN8 (orthotic)



Reflective strap endings



Coated split reinforcement



260-279-208  
Black Coated Split, Black Textile, Black Split Velour  
SOLE | SE93 EVA, Rubber

260-279-208  
Black Coated Split, Black Textile, Black Split Velour  
SOLE | SE86 EVA, Vibram Newflex

Choose a Built or Milled Sole solution for all sizes and widths on page 98



333  
Cognac Waxed Leather  
SOLE | S001B EVA, Rubber

TRACER

FM 9321



20-44  
Leather  
L301, L302, L401, L701

862-981  
Blue Waxed Nubuck  
Orange Chevreau

SOLE | S547 PU



Reflective material



212-786  
Black Waxed Nubuck, Grey Nubuck

SOLE | S542 PU



566-596  
Yellow Nubuck, Mustard Nubuck

SOLE | S542 PU



902-900  
Fuxia Nappa, Pink Textile

SOLE | S547 PU



916-786  
Pink Nubuck, Grey Nubuck

SOLE | S547 PU



926-786  
Red Nubuck, Grey Nubuck

SOLE | S542 PU





## TRACER

## FM 9323



20-44

 Leather  
 L301, L302, L401, L701

 10 cm
  14 cm

 980-700  
 Pink Printed Nubuck  
 Grey Textile

SOLE | S547 PU


 121-916-700  
 White Nappa, Pink Nubuck, Grey Textile  
 SOLE | S547 PU



 212-786-700  
 Black Waxed Nubuck, Grey Nubuck, Grey Textile  
 SOLE | S542 PU

 541-786-244  
 Dune Nappa, Grey Nubuck, Black Textile  
 SOLE | S542 PU

 862-786-877  
 Blue Waxed Nubuck, Grey Nubuck, Blue Textile  
 SOLE | S547 PU

 946-700  
 Burgundy Nubuck, Grey Textile  
 SOLE | S542 PU

HIKER

FM 9396

NEW!



20-44  
Textile L204

260-892-121  
Black Coated Split  
Dark Blue Waxed Nubuck  
White Nappa

SOLE | S572 EVA, Rubber

This style is produced without bellows tongue when ordered in Hiker Orthotic



**TIP** CHOOSE ANY STYLE ON ANY LAST



260-972-121  
Black Coated Split, Burgundy Waxed Nubuck,  
White Nappa  
SOLE | S571 EVA, Rubber



862-707  
Blue Waxed Nubuck, Light Grey Pig Velour  
SOLE | S560 TR



446-518-946-968  
Beige Nubuck, Beige Split Velour,  
Burgundy Nubuck, Lilac Split Velour  
SOLE | SE91 EVA, Rubber

FM 9384

3mm BOA  
30-42  
Leather L110, L111

926-987  
Red Nubuck  
Red Pig Velour  
SOLE | S571 EVA, Rubber



212-208  
Black Waxed Nubuck, Black Split Velour  
SOLE | S572 EVA, Rubber



968-904  
Lilac Split Velour, Lilac Textile  
SOLE | S571 EVA, Rubber

BOA Fit System is exclusive for FIA

HIKER



SAME STYLE,  
AVAILABLE WITH LACES  
OR VELCRO FASTENERS



FM 9358-1



20-44

Leather  
L301, L302, L401, L701

632-133-341

Green Nappa  
White Embossed Chevreaux  
Light Brown Chevreaux

SOLE | S571 EVA, Rubber



121-916

White Nappa, Pink Nubuck

SOLE | S571 EVA, Rubber

FM 9358



20-44

Leather  
L301, L302, L401, L701

862-950-981

Blue Waxed Nubuck  
Orange Textile  
Orange Chevreaux

SOLE | S562 TR



886-100

Blue Nubuck, White Textile

SOLE | S571 EVA, Rubber



246-121

Black Waxed Nubuck, White Nappa

SOLE | S572 EVA, Rubber



916-121

Pink Nubuck, White Nappa

SOLE | S571 EVA, Rubber



926-121

Red Nubuck, White Nappa

SOLE | S571 EVA, Rubber

**MATCHES**  
FITTING STOCK  
ME PRV19

Decorative perforation



243-121

Black Nappa, White Nappa

SOLE | S571 EVA, Rubber



968-904

Lilac Split Velour, Lilac Textile

SOLE | S571 EVA, Rubber



946-102-572

Burgundy Nubuck, White Nappa, Light Brown Nubuck

SOLE | S571 EVA, Rubber



HIKER

FM 9391

NEW!



	20-44
	Textile L244
	12 cm
	24 cm

260-392-279  
 Black Coated Split  
 Dark Brown Waxed Nubuck  
 Black Textile  
 SOLE | S532 Vibram Rubber



This style is produced without bellows tongue when ordered in Hiker Orthotic



654-658  
 Olive Waxed Nubuck, Olive Split Velour  
 SOLE | SE68 EVA Vibram Arctic Grip For sizes 37>

FM 9385

	3mm		
	30-42	Textile L244	
	12 cm		19 cm

212-208  
 Black Waxed Nubuck  
 Black Split Velour  
 SOLE | S572 EVA, Rubber

BOA Fit System is exclusive for FIA



This style is produced without bellows tongue when ordered in Hiker Orthotic



393-397  
 Camel Nappa, Camel Waxed Nubuck  
 SOLE | S571 EVA, Rubber

596  
 Mustard Nubuck  
 SOLE | S572 EVA, Rubber

HIKER

FM 9338

	3mm		
	20-44		
	Leather L301, L302, L401, L701		
	10 cm		15 cm
596 Mustard Nubuck			
SOLE   S562 TR			



SAME STYLE,  
AVAILABLE WITH LACES  
OR VELCRO FASTENERS



121  
White Nappa  
SOLE | S562 TR



251-227  
Black Coated Split, Black Textile  
SOLE | S562 TR



202-870  
Black Nappa, Blue Textile  
SOLE | S560 TR

FM 9338-1

	20-44		
	Leather L301, L302, L401, L701		
	10 cm		15 cm
121 White Nappa			
SOLE   S562 TR			



121-926  
White Nappa, Red Nubuck  
SOLE | S562 TR



243  
Black Nappa  
SOLE | S560 TR



251-566  
Black Coated Split, Yellow Nubuck  
SOLE | S562 TR

For sizes 20-39



393  
Camel Nappa  
SOLE | S563 TR

For sizes 40-42



Two Standard Sole  
solutions for sizes 20-42

HIKER

FM 9359



20-44

Textile L204

10.5 cm 16 cm

251-302-212  
Black Coated Split  
Brown Waxed Nubuck  
Black Waxed Nubuck

SOLE | S532 Vibram Rubber



Coated split reinforcement



243-246  
Black Nappa, Black Waxed Nubuck

SOLE | S562 TR



251-566-877  
Black Coated Split, Yellow Nubuck, Blue Textile

SOLE | S532 Vibram Rubber



541-572-981  
Dune Nappa, Light Brown Nubuck, Orange Chevreau

SOLE | S562 TR



926-737  
Red Nubuck, Grey Pig Velour

SOLE | S562 TR



862-786-877  
Blue Waxed Nubuck, Grey Nubuck, Blue Textile

SOLE | S560 TR



946-737  
Burgundy Nubuck, Grey Pig Velour

SOLE | S571 EVA, Rubber





HIKER

FM 9333




	20-44
	Warm L107, L230, L330
	10 cm
	17 cm

926-737  
 Red Nubuck  
 Grey Pig Velour  
 SOLE | S532 Vibram Rubber

This style is produced without bellows tongue when ordered in Hiker Orthotic



In FIA, this style is delivered with a reflective edge that cannot be changed



260-279-208-737  
 Black Coated Split, Black Textile,  
 Black Split Velour, Grey Pig Velour  
 SOLE | S532 Vibram Rubber

Three Standard Sole solutions for the complete size range



392-596  
 Dark Brown Waxed Nubuck, Mustard Nubuck  
 SOLE | S531 Rubber For sizes 20-23



260-754-717  
 Black Coated Split, Dark Grey Waxed Nubuck,  
 Grey Pig Velour  
 SOLE | S532 Vibram Rubber For sizes 24-40



260-754-596  
 Black Coated Split, Dark Grey Waxed Nubuck,  
 Mustard Nubuck  
 SOLE | S740 Vibram PU, Rubber For sizes 41-44

HIKER

FM 9357



20-44

Warm L217, L317

14 cm 18 cm

260-279-946  
Black Coated Split  
Black Textile  
Burgundy Nubuck

SOLE | SE72 EVA, Vibram Newflex

This style is produced without bellows tongue when ordered in Hiker Orthotic



Reflective strap endings

Lightweight Milled EVA Sole

Choose a Built or Milled Sole solution on page 98



260-279-208  
Black Coated Split, Black Textile,  
Black Split Velour

SOLE | S532 Vibram Rubber



260-279-208  
Black Coated Split, Black Textile,  
Black Split Velour

SOLE | S572 EVA, Rubber



260-333-596  
Black Coated Split, Cognac Waxed Leather,  
Mustard Nubuck

SOLE | S532 Vibram Rubber





# WOMEN COLLECTION

This catalogue displays the standard configuration (FIA) for each style

All colour/material options are presented in the Materials Guide section with detailed information

All styles in this catalogue are available as FIA, OAS and OIL

Upper and lining material samples are available on request

DISCOVER MORE AT  
KLAVENESS.NO

OR ASK YOUR LOCAL  
CUSTOMER SERVICE




---

post@klaveness.no  
info@klaveness.se  
asiakaspalvelu@klaveness.fi



LISA EXTRA

FM 0987

	
	1-10
	Textile, L254, L415
	572
	Light Brown Nubuck
SOLE	S411 PU, Rubber



The lining L254 or L415 used in the design of this sandal delivers the soft edges

In FIA, changing the standard lining will result in the loss of these soft edges



212  
Black Waxed Nubuck  
SOLE | S411 PU, Rubber






494  
Bronze Metallic Nappa  
SOLE | S413 PU, Rubber



972  
Burgundy Waxed Nubuck  
SOLE | S411 PU, Rubber

FM 0990

	
	1-10
	Leather L301, L302, L401, L701
	911
	Burgundy Chevreau
SOLE	S411 PU, Rubber



If you select an EVA sole, we recommend Milled EVA, which creates a toeframe that helps keeping foot orthotics in place



201  
Black Nappa  
SOLE | S412 PU, Rubber



336  
Brown Nubuck  
SOLE | S412 PU, Rubber



494  
Bronze Metallic Nappa  
SOLE | S413 PU, Rubber

LISA EXTRA

FM 1046



1-10

Leather  
L301, L302, L401, L701

541  
Dune Nappa

SOLE | S413 PU, Rubber



116  
Off-white Chevreaux Velour  
SOLE | S413 PU, Rubber



Decorative perforation



214-299  
Black Nappa, Grey Textile  
SOLE | S412 PU, Rubber



596  
Mustard Nubuck  
SOLE | S413 PU, Rubber



707-299  
Light Grey Pig Velour, Grey Textile  
SOLE | S413 PU, Rubber

FM 15268



1-10

Leather  
L301, L302, L401, L701

972  
Burgundy Waxed Nubuck

SOLE | S413 PU, Rubber



Heel frame

If you select an EVA sole, we recommend Milled EVA, which creates a toe frame that helps keeping foot orthotics in place



144  
Gold Metallic Nappa  
SOLE | S413 PU, Rubber



212  
Black Waxed Nubuck  
SOLE | S412 PU, Rubber



892  
Dark Blue Waxed Nubuck  
SOLE | S411 PU, Rubber

LISA EXTRA

FM 0991

	1-10
	Leather L301, L302, L401, L701
	212-226 Black Waxed Nubuck Black Stretch Nubuck
SOLE	S402 TR



202  
Black Nappa  
SOLE S412 PU, Rubber



407-466  
Light Beige Pig Velour, Light Beige Stretch Nubuck  
SOLE S413 PU, Rubber

FM 16125

	1-10
	Leather L301, L302, L401, L701
	572 Light Brown Nubuck
SOLE	SE84 EVA, Rubber



116  
Off-white Chevreau Velour  
SOLE S413 PU, Rubber



212  
Black Waxed Nubuck  
SOLE S412 PU, Rubber



892  
Dark Blue Waxed Nubuck  
SOLE S411 PU, Rubber



LISA EXTRA



SAME STYLE,  
AVAILABLE WITH SINGLE  
OR DOUBLE VELCRO STRAPS



PLAIN VAMP STYLES  
ARE MORE SUITABLE  
FOR OIL ADAPTATIONS



Seam-free vamp

FM 0975

1-10  
 Leather  
 L301, L302, L401, L701  
 202  
 Black Nappa  
 SOLE S412 PU, Rubber



212  
 Black Waxed Nubuck  
 SOLE S402 TR



572  
 Light Brown Nubuck  
 SOLE S401 TR

FM 0986

1-10  
 Leather  
 L301, L302, L401, L701  
 892  
 Dark Blue Waxed Nubuck  
 SOLE S411 PU, Rubber



202  
 Black Nappa  
 SOLE S413 PU, Rubber



209  
 Black Croco  
 SOLE S413 PU, Rubber



972  
 Burgundy Waxed Nubuck  
 SOLE S402 TR

LISA EXTRA

FM 0989-1



1-10  
 L301, L302, L401, L701  
 962-987  
 Red Nappa  
 Red Pig Velour  
 SOLE S413 PU, Rubber



SAME STYLE,  
 AVAILABLE WITH LACES  
 OR VELCRO FASTENERS

FM 0989

1-10  
 Leather  
 L301, L302, L401, L701  
 122-133-116  
 Off-white Nappa  
 White Embossed Chevreaux  
 Off-white Chevreaux Velour  
 SOLE S401 TR

Footwear with this symbol is partially made with stretch material

Stretch ensures comfort, increases flexibility and adaptability to the foot



Stretch vamp



202-218  
 Black Nappa, Black Stretch Lycra and Neoprene  
 SOLE S412 PU, Rubber



212-226  
 Black Waxed Nubuck, Black Stretch Nubuck  
 SOLE S413 PU, Rubber



442-466  
 Beige Nappa, Light Beige Stretch Nubuck  
 SOLE S401 TR



892-846  
 Dark Blue Waxed Nubuck, Dark Blue Stretch Nubuck  
 SOLE S412 PU, Rubber



LISA EXTRA



FM 0994

	1-10
	Leather L301, L302, L401, L701
202 Black Nappa	
SOLE	S402 TR



FM 1039

	1-10		
	Warm L217, L317		
	12 cm		25 cm
333 Cognac Waxed Leather			
SOLE	S412 PU, Rubber		



Medial and lateral zippers for wide opening and easy donning



201 Black Nappa	
SOLE	S402 TR


212 Black Waxed Nubuck	
SOLE	S412 PU, Rubber

392 Dark Brown Waxed Nubuck	
SOLE	S412 PU, Rubber

LISA EXTRA

FM 1072

	1-10		
	Textile L244		
	13.5 cm		22 cm
212-208			
Black Waxed Nubuck			
Black Split Velour			
SOLE   S412 PU, Rubber			



Derby design for a wider foot entry


FM 1002

	1-10		
	Textile L244		
	12 cm		25 cm
862-878-877			
Blue Waxed Nubuck			
Blue Split Velour			
Blue Textile			
SOLE   S411 PU, Rubber			

BACK IN FIA



Oxford design suitable for Bellows Tongue



212-208  
Black Waxed Nubuck, Black Split Velour  
SOLE | S412 PU, Rubber



202  
Black Nappa  
SOLE | S412 PU, Rubber

## LISA EXTRA

## FM 1066



1-10

Textile L224, L724

9.5 cm 24 cm

596-393

Mustard Nubuck

Camel Nappa

SOLE | S412 PU, Rubber



For further information  
on dial-fasteners, please  
go to page 6



This dial-fastener  
supports higher levels  
of customisation



203-244-212-707

Black Nappa, Black Textile,  
Black Waxed Nubuck, Light Grey Pig Velour

SOLE | S437 EVA, Rubber



754-102

Dark Grey Waxed Nubuck, White Nappa

SOLE | S437 EVA, Rubber




LISA EXTRA

FM 0949

	1-10		
	Warm L217, L317		
	18 cm		25 cm
836-870 Dark Blue Nubuck Blue Textile			
SOLE   S437 EVA, Rubber 			



Medial and lateral zippers  
for wide opening and easy donning




212-200  
Waxed Nubuck, Brown Real Fur  
SOLE | S412 PU, Rubber




333-200  
Cognac Waxed Leather, Brown Real Fur  
SOLE | S402 TR 



392-200  
Dark Brown Waxed Nubuck, Brown Real Fur  
SOLE | S402 TR 



754-200  
Dark Grey Waxed Nubuck, Brown Real Fur  
SOLE | S437 EVA, Rubber 



892  
Dark Blue Waxed Nubuck  
SOLE | S412 PU, Rubber



LISA EXTRA

FM 1037



	1-10
	Warm L217, L317
	21 cm
	24 cm

754  
Dark Grey Waxed Nubuck  
SOLE | S412 PU, Rubber



383  
Dark Brown Waxed Leather  
SOLE | S402 TR



The standard lining used in these boots includes fur on the collar and tongue

If your choice is not "Warm" lining, the fur will not be applied



SAME STYLE, AVAILABLE WITH MEDIAL & LATERAL OR MEDIAL ZIPPER

FM 1037-1



	1-10
	Warm L217, L317
	21 cm
	24 cm

972  
Burgundy Waxed Nubuck  
SOLE | S412 PU, Rubber



283  
Black Waxed Leather  
SOLE | S402 TR



383  
Dark Brown Waxed Leather  
SOLE | S412 PU, Rubber



ORTHO

FM 1045

	1-10
	Leather L301, L302, L401, L701
962-987 Red Nappa Red Pig Velour	
SOLE	S131 EVA



Wide opening and fully-adjustable instep



202-208  
Black Nappa, Black Split Velour  
SOLE | S170 PU



707  
Light Grey Pig Velour  
SOLE | S172 PU



832-898  
Dark Blue Nappa, Dark Blue Split Velour  
SOLE | S172 PU

FM 0929

	1-10
	Leather L301, L302, L401, L701
911 Burgundy Chevreau	
SOLE	S131 EVA



OAS  
OIL  
**TIP** REPLACE THE "STAY-IN" STRAPS WITH STANDARD VELCRO STRAPS

"Stay-in" strap design

For further information on "Stay-in" straps, please go to page 86



116  
Off-white Chevreau Velour  
SOLE | S172 PU





202  
Black Nappa  
SOLE | S170 PU



874  
Blue Nappa  
SOLE | S131 EVA

ORTHO

FM 6149

 1-10  
 Leather  
 L301, L302, L401, L701  
 874  
 Blue Nappa  
 SOLE S172 PU 




202  
 Black Nappa  
 SOLE S170 PU 



911  
 Burgundy Chevreau  
 SOLE S131 EVA 

FM 10130


 1-10  
 Leather  
 L301, L302, L401, L701  
 572  
 Light Brown Nubuck  
 SOLE S131 EVA 



420  
 Black Nappa  
 SOLE S132 EVA 



442  
 Beige Nappa  
 SOLE S172 PU 

**TIP** PLAIN VAMP STYLES ARE MORE SUITABLE FOR OIL ADAPTATIONS 

ORTHO

FM 0938

	1-10
	Leather L301, L302, L401, L701
122 Off-white Nappa	
SOLE	S131 EVA




202 Black Nappa	
SOLE	S170 PU



392 Dark Brown Waxed Nubuck	
SOLE	S213 EVA, Rubber

FM 0982

	1-10
	Leather L301, L302, L401, L701
892 Dark Blue Waxed Nubuck	
SOLE	S131 EVA



SAME STYLE,  
AVAILABLE WITH LACES  
OR VELCRO FASTENERS



354-392 Dark Brown Chevreau, Dark Brown Waxed Nubuck	
SOLE	S153 Rubber

FM 0912

	1-10
	Leather L301, L302, L401, L701
202 Black Nappa	
SOLE	S170 PU



ORTHO

FM 0919

1-10  
 Leather  
 L301, L302, L401, L701  
 202  
 Black Nappa  
 SOLE | S170 PU



392  
 Dark Brown Waxed Nubuck  
 SOLE | S153 Rubber



SAME STYLE,  
 AVAILABLE WITH LACES  
 OR VELCRO FASTENERS

FM 0919-1

1-10  
 Leather  
 L301, L302, L401, L701  
 572  
 Light Brown Nubuck  
 SOLE | S172 PU



1-10



Leather  
 L301, L302, L401, L701

572  
 Light Brown Nubuck

SOLE | S172 PU



518-144  
 Beige Split Velour, Gold Metallic Nappa  
 SOLE | S131 EVA



202  
 Black Nappa  
 SOLE | S170 PU



354  
 Dark Brown Chevreau  
 SOLE | S132 EVA



874  
 Blue Nappa  
 SOLE | S131 EVA



911  
 Burgundy Chevreau  
 SOLE | S170 PU



ORTHO



SAME STYLE,  
AVAILABLE WITH LACES  
OR VELCRO FASTENERS

FM 16142

1-10  
 Leather  
 L301, L302, L401, L701  
 541  
 Dune Nappa  
 SOLE S131 EVA



208-202-205  
 Black Split Velour, Black Nappa,  
 Black Patent Leather  
 SOLE S170 PU

FM 0567

1-10  
 Leather  
 L301, L302, L401, L701  
 307  
 Camel Pig Velour  
 SOLE S153 Rubber



FM 16142-1

1-10  
 Leather  
 L301, L302, L401, L701  
 898-832-865  
 Dark Blue Split Velour  
 Dark Blue Nappa  
 Dark Blue Patent Chevreaux  
 SOLE S172 PU



938-962  
 Red Split Velour, Red Nappa  
 SOLE S172 PU



202  
 Black Nappa  
 SOLE S147 EVA, Rubber



972  
 Burgundy Waxed Nubuck  
 SOLE S153 Rubber



ORTHO

FM 0939



1-10

Textile  
L234, L314, L414

381-346  
Dark Brown Nappa  
Dark Brown Stretch Nubuck

SOLE | S132 EVA



Stretch vamp

"Stay-in" strap design



202-218  
Black Nappa, Black Stretch Lycra and Neoprene  
SOLE | S170 PU



832-846  
Dark Blue Nappa, Dark Blue Stretch Nubuck  
SOLE | S240 EVA, Rubber

FM 19140



1-10

Leather  
L301, L302, L401, L701

754-102  
Dark Grey Waxed Nubuck  
White Nappa

SOLE | S240 EVA, Rubber



212-208-102  
Black Waxed Nubuck, Black Split Velour, White Nappa  
SOLE | S141 EVA, Rubber



707-700-786-141  
Light Grey Pig Velour, Grey Textile  
Grey Nubuck, Silver Metallic Nappa  
SOLE | S240 EVA, Rubber



862-878-102  
Blue Waxed Nubuck, Blue Split Velour, White Nappa  
SOLE | S147 EVA, Rubber

BOA Fit System  
is exclusive for FIA

ORTHO

FM 1034

2X

1-10

Leather  
L301, L302, L401, L701

541  
Dune Nappa

SOLE S240 EVA, Rubber



121-102  
White Nappa, White Nappa  
SOLE S240 EVA, Rubber



202-288-208  
Black Nappa, Black Printed Chevreau,  
Black Split Velour  
SOLE S141 EVA, Rubber




541-456  
Dune Nappa, Camel Chevreau Velour  
SOLE S141 EVA, Rubber



832-888-868  
Dark Blue Nappa, Dark Blue Printed Chevreau,  
Dark Blue Chevreau Velour  
SOLE S141 EVA, Rubber

OAS  
OIL **TIP** CUSTOMISE PADDING  
(AVAILABLE UPON REQUEST)

In FIA, the standard padding cannot be changed



ORTHO

FM 1012

1-10  
 Textile L224, L724  
 707-700  
 Light Grey Pig Velour  
 Grey Textile  
 SOLE | S141 EVA, Rubber



In FIA, this style is delivered with a white edge that cannot be changed



208-244  
 Black Split Velour, Black Textile  
 SOLE | S141 EVA, Rubber



878-823  
 Blue Split Velour, Blue Embossed Chevreau  
 SOLE | S242 EVA, Rubber



SAME STYLE,  
 AVAILABLE WITH LACES  
 OR VELCRO FASTENERS

FM 1036

1-10  
 Textile L224, L724  
 958-954  
 Red Split Velour  
 Red Textile  
 SOLE | S141 EVA, Rubber

In FIA, this style is delivered with a white edge that cannot be changed






208-224  
 Black Split Velour, Black Textile  
 SOLE | S147 EVA, Rubber



214  
 Black Nappa  
 SOLE | S242 EVA, Rubber

ORTHO


FM 0988

 1-10  
 Textile L224, L724  
 911-972-102  
 Burgundy Chevreaux  
 Burgundy Waxed Nubuck  
 White Nappa  
 SOLE  S141 EVA, Rubber



202  
 Black Nappa  
 SOLE  S213 EVA, Rubber








392-302-572  
 Dark Brown Waxed Nubuck, Brown Waxed Nubuck,  
 Light Brown Nubuck  
 SOLE  S111 TR



SAME STYLE,  
 AVAILABLE WITH LACES,  
 VELCRO OR DIAL-FASTENER


FM 0988-1

   
 1-10  
 Textile L224, L724  
 541-456  
 Dune Nappa  
 Camel Chevreaux Velour  
 SOLE  S240 EVA, Rubber




212-208-102  
 Black Waxed Nubuck, Black Split Velour,  
 White Nappa  
 SOLE  S212 EVA, Rubber



892-208-102  
 Dark Blue Waxed Nubuck, Black Split Velour,  
 White Nappa  
 SOLE  S141 EVA, Rubber



987-927-102  
 Red Pig Velour, Burgundy Pig Velour,  
 White Nappa  
 SOLE  S240 EVA, Rubber



ORTHO

FM 1008

BOA

1-10  
 Textile L224, L724  
 541-456-102  
 Dune Nappa  
 Camel Chevreau Velour  
 White Nappa  
 SOLE | S240 EVA, Rubber

SAME AS  
ME 1023



BOA Fit System is exclusive for FIA  
 For OAS and OIL solution, please go to page 6



212-224-208-102  
 Black Waxed Nubuck, Black Textile,  
 Black Split Velour, White Nappa  
 SOLE | S212 EVA, Rubber



442-446  
 Beige Nappa, Beige Nubuck  
 SOLE | S141 EVA, Rubber



722-737-707  
 Grey Chevreau, Grey Pig Velour,  
 Light Grey Pig Velour  
 SOLE | S147 EVA, Rubber

FM 1058

BOA

1-10  
 Textile L714  
 958-933  
 Red Split Velour  
 Red Embossed Chevreau  
 SOLE | S141 EVA, Rubber



116-102  
 Off-white Chevreau Velour, White Nappa  
 SOLE | S141 EVA, Rubber



208-223  
 Black Split Velour, Black Embossed Chevreau  
 SOLE | S147 EVA, Rubber



348-336  
 Brown Split Velour, Brown Nubuck  
 SOLE | S147 EVA, Rubber



541-456  
 Dune Nappa, Camel Chevreau Velour  
 SOLE | S240 EVA, Rubber



878-823  
 Blue Split Velour, Blue Embossed Chevreau  
 SOLE | S141 EVA, Rubber

ORTHO

FM 1076

NEW!

	BOA		
	1-10		
	Textile L204		
	12 cm		30 cm
972-927			
Burgundy Waxed Nubuck			
Burgundy Pig Velour			
SOLE	SE37 EVA, Rubber		



BOA Fit System is exclusive for FIA

For OAS and OIL solution, please go to page 6



Discover more about Built or Milled EVA Soles on page 98



208-201	
Black Split Velour, Black Nappa	
SOLE	S147 EVA, Rubber

FM 0941

	1-10		
	Textile L244		
	14 cm		20 cm
251-323-658-307			
Black Coated Split			
Dark Brown Waxed Nappa			
Olive Split Velour			
Camel Pig Velour			
SOLE	S213 EVA, Rubber		



Hooks and closed hooks are more suitable for boots with bellows tongue

OAS TIP BELLOW TONGUE: EYELETS VS HOOKS

In OAS and OIL, changing the fastening is possible, but in styles with bellows tongue, we do not recommend using eyelets



251-214-257-737	
Black Coated Split, Black Nappa, Black Textile, Grey Pig Velour	
SOLE	S111 TR



251-214-987-927	
Black Coated Split, Black Nappa, Red Pig Velour, Burgundy Pig Velour	
SOLE	SE24 Vibram Gumlite

## ORTHO

## FM 1026



	1-10		
	Warm L217, L317		
	11 cm		21 cm

212-208-209  
Black Waxed Nappa  
Black Split Velour  
Black Croco

SOLE | S152 Rubber

BACK  
IN FIA



212-208  
Black Waxed Nubuck, Black Split Velour  
SOLE | S170 PU



323-348  
Dark Brown Waxed Nappa, Brown Split Velour  
SOLE | S153 Rubber

## FM 0914



	1-10		
	Warm L217, L317		
	10 cm		20 cm

972  
Burgundy Waxed Nubuck

SOLE | S213 EVA, Rubber

BACK  
IN FIA



202  
Black Nappa  
SOLE | S147 EVA, Rubber



832  
Dark Blue Nappa  
SOLE | S242 EVA, Rubber





ORTHO

FM 0947



1-10

Warm L217, L317

12 cm 25 cm

333  
Cognac Waxed Leather

SOLE SE26 EVA, Rubber



OAS  
OIL **TIP** ADD MUDGUARD  
(AVAILABLE UPON REQUEST)

Choose a Built or Milled Sole solution on page 98



754  
Dark Grey Waxed Nubuck  
SOLE S153 Rubber



892  
Dark Blue Waxed Nubuck  
SOLE S195 TR

FM 1028



1-10

Warm L217, L317

16 cm 22 cm

321  
Brown Nappa

SOLE S195 TR



201  
Black Nappa  
SOLE S195 TR



ORTHO

FM 0555



1-10

Leather  
L211, L312, L411

15 cm 22 cm

886-877

Blue Nubuck

Blue Textile

SOLE | SE8 EVA, Vibram Rubber



**TIP** PLAIN VAMP STYLES ARE MORE SUITABLE FOR OIL ADAPTATIONS

OIL



202  
Black Nappa

SOLE | S152 Rubber



212  
Black Waxed Nubuck

SOLE | SE23 EVA, Rubber



Medial zipper for easy donning

Choose a Built or Milled Sole solution on page 98



332  
Brown Nappa

SOLE | S195 TR



596-393  
Mustard Nubuck, Camel Nappa

SOLE | SE23 EVA, Rubber

ORTHO

FM 1038



	1-10
	Warm L217, L317
	13 cm
	25 cm

383  
Dark Brown Waxed Leather

SOLE SE23 Heritage Welt, EVA, Rubber



Delivered with red and brown laces, the "Heritage Boot" combines the 383 upper material with the SE23 sole and the "Heritage Welt". The standard welt will be used for any other upper colour combined with sole SE23.

Discover more about Built or Milled EVA Soles on page 98



283  
Black Waxed Leather

SOLE SE23 EVA, Rubber

FM 14662



	1-10
	Warm L217, L317
	17 cm
	26 cm

314  
Brown Nappa

SOLE S195 TR



212  
Black Waxed Nubuck

SOLE S195 TR



214  
Black Nappa

SOLE SE26 EVA, Rubber



383  
Dark Brown Waxed Leather

SOLE S195 TR

ORTHO

FM 1074

NEW!



	1-10		
	Warm L217, L317		
	36.5 cm		40 cm

202  
Black Nappa  
SOLE | S195 TR



Full medial zipper for easy entry

SIZE	QUARTER WIDTH	QUARTER HEIGHT
2	36 cm	35 cm
4.5	40 cm	36.5 cm
9	45 cm	41 cm

OAS TIP CHANGE BACK SHAFT MATERIAL (AVAILABLE UPON REQUEST)



Lycra on the back part of the shaft for a snug fit

Discover more about Built or Milled EVA Soles on page 98

202-209  
Black Nappa, Black Croco  
SOLE | SE25 EVA, Rubber



302  
Brown Waxed Nubuck  
SOLE | SE50 EVA, Rubber

ORTHO

FM 0946

	1-10		
	Warm L217, L317		
	37 cm		38 cm
302			
Brown Waxed Nubuck			
SOLE S153 Rubber			



Medial zipper  
for easy donning

**TIP** CHOOSE ANY STYLE  
ON ANY LAST



202  
Black Nappa  
SOLE S195 TR



382  
Dark Brown Nappa  
SOLE S195 TR



# UNISEX COLLECTION

This catalogue displays the standard configuration (FIA) for each style

All colour/material options are presented in the Materials Guide section with detailed information

All styles in this catalogue are available as FIA, OAS and OIL

Upper and lining material samples are available on request

DISCOVER MORE AT  
KLAVENESS.NO

OR ASK YOUR LOCAL  
CUSTOMER SERVICE




---

post@klaveness.no  
info@klaveness.se  
asiakaspalvelu@klaveness.fi



FREE

FM 1083

	35-50
	Textile L224, L724
821-397 Blue Nappa Camel Waxed Nubuck	
SOLE	S821 EVA, Rubber 


NEW!

SIMILAR TO ME SC007



This product may differ from the stock article due to varied production methods and materials






121-707  
White Nappa, Light Grey Pig Velour  
SOLE S821 EVA, Rubber 



221-208  
Black Nappa, Black Split Velour  
SOLE S822 EVA, Rubber 

FM 1068

	35-50
	Leather L301, L302, L401, L701
202 Black Nappa	
SOLE	S847 EVA, Rubber 

 MATCHES  
FITTING STOCK  
ME PRV21



FREE

FM 1081

NEW!



35-50

Leather  
L301, L302, L401, L701

206  
Black Nubuck

SOLE | S872 EVA, Rubber



202  
Black Nappa

SOLE | S847 EVA, Rubber



For further information on dial-fasteners, please go to page 6



FM 1079

NEW!



35-50

Leather  
L301, L302, L401, L701

381  
Dark Brown Nappa

SOLE | S852 TR



**TIP** PLAIN VAMP STYLES ARE MORE SUITABLE FOR OIL ADAPTATIONS



202  
Black Nappa

SOLE | S847 EVA, Rubber



FREE

### FM 1073

35-50  
Textile L714  
707-700  
Light Grey Pig Velour  
Grey Textile  
SOLE S857 EVA, Rubber



121  
White Nappa

SOLE S857 EVA, Rubber

221  
Black Nappa

SOLE S872 EVA, Rubber

221-244  
Black Nappa, Black Textile

SOLE S847 EVA, Rubber



541-456  
Dune Nappa, Camel Chevreau Velour

SOLE S811 PU, Rubber

518-446-494  
Beige Split Velour, Beige Nubuck,  
Bronze Metallic Nappa

SOLE SE91 EVA Rubber

832-898  
Dark Blue Nappa, Dark Blue Split Velour

SOLE S862 PU, Rubber



FREE

### FM 1071

NEW!

BOA

35-50

Textile L204

251-208-518-279  
 Black Coated Split  
 Black Split Velour  
 Beige Split Velour  
 Black Textile

SOLE | S847  
 EVA, Rubber



BOA Fit System  
 is exclusive for FIA

For OAS and OIL solution,  
 please go to page 6



251-208-737-279  
 Black Coated Split, Black Split Velour,  
 Grey Pig Velour, Black Textile

SOLE | S847 EVA, Rubber



SAME STYLE,  
 AVAILABLE WITH DIAL-FASTENER  
 OR LACES

### FM 1069

35-50

Textile L204

251-208-566-279  
 Black Coated Split  
 Black Split Velour  
 Yellow Nubuck  
 Black Textile

SOLE | S847  
 EVA, Rubber



Coated split reinforcement

In these styles, the lining  
 continues to the external top  
 part of the tongue.  
 Keep in mind that changing the  
 standard lining will affect the  
 final look!



251-208-333-279  
 Black Coated Split, Black Split Velour,  
 Cognac Waxed Leather, Black Textile

SOLE | S847 EVA, Rubber



251-208-518-279  
 Black Coated Split, Black Split Velour,  
 Beige Split Velour, Black Textile

SOLE | S847 EVA, Rubber



251-208-987-279  
 Black Coated Split, Black Split Velour,  
 Red Pig Velour, Black Textile

SOLE | S847 EVA, Rubber



251-208-754-279  
 Black Coated Split, Black Split Velour, Dark Grey  
 Waxed Nubuck, Black Textile


SOLE | S847 EVA, Rubber

FREE


FM 1429

	35-50
	Textile L204
	11.5 cm
	26 cm

251-208-333-279  
 Black Coated Split  
 Black Split Velour  
 Cognac Waxed Leather  
 Black Textile

SOLE	S847 EVA, Rubber	
------	---------------------	---

In this style, the lining continues to the external top part of the tongue. Keep in mind that changing the standard lining will affect the final look!




Extended lacing and optimal tongue adjustment

Soft padded textile tongue



251-208-212-279  
 Black Coated Split, Black Split Velour,  
 Black Waxed Nubuck, Black Textile

SOLE	S822 EVA, Rubber	
------	------------------	---




251-208-383-279  
 Black Coated Split, Black Split Velour,  
 Dark Brown Waxed Leather, Black Textile

SOLE	S847 EVA, Rubber	
------	------------------	---




251-208-737-279  
 Black Coated Split, Black Split Velour,  
 Grey Pig Velour, Black Textile

SOLE	S847 EVA, Rubber	
------	------------------	---



251-737-862-279  
 Black Coated Split, Grey Pig Velour,  
 Blue Waxed Nubuck, Black Textile

SOLE	S847 EVA, Rubber	
------	------------------	---

FREE

FM 1075

NEW!

	35-50		
	Textile L244		
	14 cm		28 cm

892-878-968  
 Dark Blue Waxed Nubuck  
 Blue Split Velour  
 Lilac Split Velour  
 SOLE S840 EVA, Vibram Arctic Grip Rubber



Hooks and closed hooks are more suitable for boots with bellows tongue

Footwear with this symbol is designed to include waterproof membrane. Discover more on page 6



OAS OIL **TIP** BELLOWS TONGUE: EYELETS VS HOOKS

In OAS and OIL, changing the fastening is possible, but in styles with bellows tongue, we do not recommend using eyelets



Vibram Arctic Grip

Coated split reinforcement



251-212-208-737  
 Black Coated Split, Black Waxed Nubuck,  
 Black Split Velour, Grey Pig Velour  
 SOLE S840 EVA, Vibram Arctic Grip Rubber



251-323-658-307  
 Black Coated Split, Dark Brown Waxed Nappa,  
 Olive Split Velour, Camel Split Velour  
 SOLE S532 Vibram Rubber








251-323-658-307  
 Black Coated Split, Dark Brown Waxed Nappa,  
 Olive Split Velour, Camel Split Velour  
 SOLE S740 Vibram PU, Rubber



FREE

FM 1063

	35-50		
	Textile L101, L201		
	12 cm		26.5 cm
393-397 Camel Nappa Camel Waxed Nubuck			
SOLE	S847 EVA, Rubber		



**TIP** PLAIN VAMP STYLES ARE MORE SUITABLE FOR OIL ADAPTATIONS





**TIP** SAME STYLE, AVAILABLE WITH LACES OR VELCRO FASTENERS

FM 1062

 			
	35-50		
	Textile L101, L201		
	12 cm		26.5 cm
754-737 Dark Grey Waxed Nubuck Grey Pig Velour			
SOLE	S847 EVA, Rubber		



212-201 Black Waxed Nubuck, Black Nappa	
SOLE	S847 EVA, Rubber
	

212-201 Black Waxed Nubuck, Black Nappa	
SOLE	S847 EVA, Rubber
	



FREE

FM 1082

NEW!



	35-50
	Textile L224, L724
	11.5 cm
	24 cm

212-208-102  
 Black Waxed Nubuck  
 Black Split Velour  
 White Nappa

SOLE | S821 EVA, Rubber



**TIP** CHOOSE ANY STYLE ON ANY LAST

Medial zipper for easy donning



892-707  
 Dark Blue Waxed Nubuck, Light Grey Pig Velour  
 SOLE | S847 EVA, Rubber

FREE

### FM 1064

	35-50		
	Warm L217, L317		
	16 cm		24 cm
<b>383</b> Dark Brown Waxed Leather			
SOLE	SE24 Vibram Gumlite		



**TIP** PLAIN VAMP STYLES ARE MORE SUITABLE FOR OIL ADAPTATIONS



Choose a Built or Milled Sole solution on page 98



**212-770**  
Black Waxed Nubuck, Grey Textile  
SOLE | S847 EVA, Rubber



**754-722-770**  
Dark Grey Waxed Nubuck, Grey Chevreau, Grey Textile  
SOLE | S970 Rubber

Medial zipper for easy donning



**926-770**  
Red Nubuck, Grey Textile  
SOLE | S847 EVA, Rubber

## MEN COLLECTION

This catalogue displays the standard configuration (FIA) for each style

All colour/material options are presented in the Materials Guide section with detailed information

All styles in this catalogue are available as FIA, OAS and OIL

Upper and lining material samples are available on request

DISCOVER MORE AT  
KLAVENESS.NO

OR ASK YOUR LOCAL  
CUSTOMER SERVICE

---

post@klaveness.no  
info@klaveness.se  
asiakaspalvelu@klaveness.fi



JO



SAME STYLE,  
AVAILABLE WITH LACES  
OR DIAL-FASTENER



FM 1497

	35-50		
	Textile L244		
754			
Dark Grey Waxed Nubuck			
SOLE	S847 EVA, Rubber		

BOA Fit System is exclusive for FIA

For OAS and OIL solution, please go to page 6

FM 1497-1

	35-50	
	Textile L244	
202		
Black Nappa		
SOLE	S862 PU, Rubber	



382  
Dark Brown Nappa  
SOLE | S862 PU, Rubber

FM 1392

	35-50
	Leather L301, L302, L401, L701
202	
Black Nappa	
SOLE	S862 PU, Rubber





JO

FM 1427



3mm

35-50

Textile L224, L724

10.5 cm 28 cm

212-208-102

Black Waxed Nubuck

Black Split Velour

White Nappa

SOLE | S847 EVA, Rubber 



For further information on dial-fasteners, please go to page 6



203-212-737


Black Nappa, Black Waxed Nubuck, Grey Pig Velour

SOLE | S852 TR



987-208-102

Red Pig Velour, Black Split Velour, White Nappa

SOLE | S847 EVA, Rubber 

FM 1394



3mm

35-50

Warm L327

12 cm 26 cm

754

Dark Grey Waxed Nubuck

SOLE | S847 EVA, Rubber 



PLAIN VAMP STYLES ARE MORE SUITABLE FOR OIL ADAPTATIONS


The standard lining used in these boots includes fur on the collar and tongue

If your choice is not Warm Lining, the fur will not be applied



283

Black Waxed Leather

SOLE | S847 EVA, Rubber 



333

Cognac Waxed Leather

SOLE | S852 TR



383

Dark Brown Waxed Leather

SOLE | S862 PU, Rubber

THOR

FM 1423

	35-52
	Textile L244
	786
	Grey Nubuck
SOLE	S650 PU



Wide opening

BOA Fit System is exclusive for FIA  
For OAS and OIL solution, please go to page 6

	202
	Black Nappa
SOLE	S642 EVA, Rubber

	323
	Dark Brown Waxed Nappa
SOLE	S650 PU



	786
	Grey Nubuck
SOLE	SE49 EVA, Rubber

FM 1323

	35-52
	Leather L211, L312, L411
	397
	Camel Waxed Nubuck
SOLE	S650 PU

SAME AS ME 1390





	202
	Black Nappa
SOLE	S711 TR



	336
	Brown Nubuck
SOLE	S650 PU

## THOR

## FM 1430

	35-52
	Textile L224, L724
202-244-208	
Black Nappa	
Black Textile	
Black Split Velour	
SOLE	S690 PU

NEW!





Plain vamp with decorative stitching



SAME STYLE,  
AVAILABLE WITH LACES  
OR VELCRO FASTENERS

## FM 1431

	35-52
	Textile L224, L724
202-244-208	
Black Nappa	
Black Textile	
Black Split Velour	
SOLE	S690 PU

NEW!





PLAIN VAMP STYLES  
ARE MORE SUITABLE  
FOR OIL ADAPTATIONS









Discover more about Built or Milled EVA Soles on page 98

FM 1330

	35-52
	Leather L211, L312, L411
717	Grey Pig Velour
SOLE	SE49 EVA, Rubber

FM 1330-1

		35-52
		Leather L211, L312, L411
212		Black Waxed Nubuck
SOLE	S752	XL Extralight EVA 



SAME STYLE, AVAILABLE WITH LACES OR VELCRO FASTENERS





202  
Black Nappa  
SOLE S650 PU

392  
Dark Brown Waxed Nubuck  
SOLE S650 PU



393  
Camel Nappa  
SOLE S711 TR 

892-836  
Dark Blue Waxed Nubuck, Dark Blue Nubuck  
SOLE S680 Vibram Gumlite  



THOR

FM 1393

	35-52
	Textile L244
	283
	Black Waxed Leather
SOLE	S740 Vibram PU, Rubber

OAS  
OIL **TIP** MODIFY FACING  
(AVAILABLE UPON REQUEST)



**CHANGE INSTEP**  
Move up (towards the ankle)  
or move forward (towards the toes)



**WIDEN OR NARROW FACING**  
to adjust the gap  
between eyelets

**CHANGE OPENING**  
Move forward (towards the toes)  
or move back (towards the ankle)



212  
Black Waxed Nubuck  
SOLE S740 Vibram PU, Rubber

754  
Dark Grey Waxed Nubuck  
SOLE S642 EVA, Rubber

FM 1382

	35-52
	Leather L301, L302, L401, L701
	212
	Black Waxed Nubuck
SOLE	S740 Vibram PU, Rubber

**2X** Medial and lateral zippers  
for wide opening  
and easy donning



214  
Black Nappa  
SOLE S752 XL Extralight EVA



392  
Dark Brown Waxed Nubuck  
SOLE S722 EVA, Rubber

THOR



SAME STYLE,  
AVAILABLE WITH LACES,  
VELCRO OR DIAL-FASTENER

BOA Fit System  
is exclusive for FIA

For OAS and OIL solution,  
please go to page 6



SAME AS  
ME 1401

FM 1388

35-52  
 Textile L224, L724  
 102-707  
 White Nappa  
 Light Grey Pig Velour  
 SOLE S751  
 XL Extralight EVA

FM 1388-1

35-52  
 Textile L224, L724  
 302-348-572  
 Brown Waxed Nubuck  
 Brown Split Velour  
 Light Brown Nubuck  
 SOLE S722 EVA, Rubber

FM 1011

35-52  
 Textile L224, L724  
 212-224-208-102  
 Black Waxed Nubuck  
 Black Textile  
 Black Split Velour  
 White Nappa  
 SOLE S642 EVA, Rubber



202  
 Black Nappa  
 SOLE SE50 EVA, Rubber



212-208-102  
 Black Waxed Nubuck, Black Split Velour,  
 White Nappa  
 SOLE S640 EVA, Rubber



821-837-786  
 Blue Nappa, Blue Pig Velour, Grey Nubuck  
 SOLE SE93 EVA, Rubber

For sizes 48>



203-212-737  
 Black Nappa, Black Waxed Nubuck, Grey Pig Velour  
 SOLE S722 EVA, Rubber

THOR



SAME STYLE,  
AVAILABLE WITH VELCRO  
OR DIAL-FASTENER

FM 1404



35-52

Leather  
L301, L302, L401, L701

321-368-397

Brown Nappa  
Brown Chevreau Velour  
Camel Waxed Nubuck

SOLE S752  
XL Extralight EVA

FM 1405



35-52

Leather  
L301, L302, L401, L701

707-102

Light Grey Pig Velour  
White Nappa

SOLE S640 EVA, Rubber

BOA Fit System  
is exclusive for FIA  
For OAS and OIL solution,  
please go to page 6



834-898-397  
Dark Blue Nappa, Dark Blue Split Velour,  
Camel Waxed Nubuck

SOLE S640 EVA, Rubber



214-208-754  
Black Nappa, Black Split Velour,  
Dark Grey Waxed Nubuck

SOLE S642 EVA, Rubber



333-348  
Cognac Waxed Leather, Brown Split Velour

SOLE S640 EVA, Rubber



323-393  
Dark Brown Waxed Nappa, Camel Nappa

SOLE S711 TR



886  
Blue Nubuck

SOLE S640 EVA, Rubber


THOR

FM 1013

35-52  
 Textile L224, L724  
 208-244  
 Black Split Velour  
 Black Textile  
 SOLE S640 EVA, Rubber



In FIA, this style is delivered with a white edge that cannot be changed




102-100  
 White Nappa, White Textile  
 SOLE S640 EVA, Rubber



208-244  
 Black Split Velour, Black Textile  
 SOLE S721 EVA, Rubber

FM 1380

35-52  
 Leather  
 L301, L302, L401, L701  
 116  
 Off-white Chevreaux Velour  
 SOLE S751 XL Extralight EVA



Decorative perforation

**TIP** CHOOSE ANY STYLE ON ANY LAST

OIL



212  
 Black Waxed Nubuck  
 SOLE S752 XL Extralight EVA






302  
 Brown Waxed Nubuck  
 SOLE S751 XL Extralight EVA






THOR

FM 1312

	35-52
	Leather L211, L312, L411
202 Black Nappa	
SOLE	S680 Vibram Gumlite 



FM 1381

	
	35-52
	Leather L211, L312, L411
333 Cognac Waxed Leather	
SOLE	S650 PU





202  
Black Nappa  
SOLE | S711 TR 



874  
Blue Nappa  
SOLE | S751 XL Extralight EVA 

FM 1309

	35-52
	Leather L301, L302, L401, L701
202 Black Nappa	
SOLE	S650 PU





THOR

FM 1407

	
	35-52
	Textile L244
	17 cm
	24 cm
214-737-212	
Black Nappa	
Grey Pig Velour	
Black Waxed Nubuck	
SOLE	S740 Vibram PU, Rubber



FM 1420

	
	35-52
	Warm L217, L317
	11 cm
	24 cm
251-754-738	
Black Coated Split	
Dark Grey Waxed Nubuck	
Grey Split Velour	
SOLE	S740 Vibram PU, Rubber

BOA Fit System is exclusive for FIA

For OAS and OIL solution, please go to page 6



Coated split mudguard



208-283-257  
Black Split Velour, Black Waxed Leather, Black Textile  
SOLE S642 EVA, Rubber



348-333-330  
Brown Split Velour, Cognac Waxed Leather, Brown Textile  
SOLE S722 EVA, Rubber

THOR

FM 1395

	35-52		
	Textile L244		
	13 cm		27 cm
214-257-737 Black Nappa Black Textile Grey Pig Velour			
SOLE   S740 Vibram PU, Rubber			



Hooks and closed hooks are more suitable for boots with bellows tongue



**TIP** BELLOWS TONGUE: EYELETS VS HOOKS

In OAS and OIL, changing the fastening is possible, but in styles with bellows tongue, we do not recommend using eyelets



251-323-658-307  
Black Coated Split, Dark Brown Waxed Nappa, Olive Split Velour, Camel Pig Velour  
SOLE | S740 Vibram PU, Rubber

FM 1408

	35-52		
	Warm L217, L317		
	14 cm		24 cm
383 Dark Brown Waxed Leather			
SOLE   SE23 Heritage Welt, EVA, Rubber			

Delivered with red and brown laces, the "Heritage Boot" combines the 383 upper material with the SE23 sole and the "Heritage Welt". The standard welt will be used for any other upper colour combined with sole SE23.



283  
Black Waxed Leather  
SOLE | S740 Vibram PU, Rubber

## THOR

## FM 1369



35-52

Textile L244

12 cm 27 cm

214  
Black Nappa

SOLE S740 Vibram PU, Rubber

393  
Camel Nappa

SOLE S711 TR



## FM 1374



35-52

Leather  
L211, L312, L411

11 cm 22 cm

333  
Cognac Waxed LeatherSOLE S680  
Vibram GumliteBACK  
IN FIA392  
Dark Brown Waxed Nubuck

SOLE S650 PU

## FM 1384



35-52

Warm L217, L317

15 cm 23 cm

202  
Black Nappa

SOLE S690 PU




392  
Dark Brown Waxed Nubuck

SOLE S740 Vibram PU, Rubber



## THOM

## FM 1422

	35-50
	Leather L211, L312, L411
332	
Brown Nappa	
SOLE	S320 EVA 






To complete the size range of the Thom last, we suggest Built EVA Soles SE21 or SE22 from page 101



273  
Black Nappa  
SOLE | S320 EVA 

## FM 1428

	35-50
	Leather L301, L302, L401, L701
202	
Black Nappa	
SOLE	S320 EVA 



 MATCHES  
FITTING STOCK  
ME PRV22

## FM 1425

	35-50		
	Leather L301, L302, L401, L701		
	15.5 cm		24 cm
201-227			
Black Nappa, Black Textile			
SOLE	S320 EVA 		



302  
Brown Waxed Nubuck  
SOLE | SE21 EVA, Rubber



# TREATMENT PURPOSE COLLECTION

This catalogue displays the standard configuration (FIA) for each style

All styles in this catalogue are available as FIA, OAS and OIL

All colour/material options are presented in the Materials Guide section with detailed information

Upper and lining material samples are available on request

DISCOVER MORE AT  
[KLAVENESS.NO](http://KLAVENESS.NO)

OR ASK YOUR LOCAL  
CUSTOMER SERVICE

---

[post@klaveness.no](mailto:post@klaveness.no)  
[info@klaveness.se](mailto:info@klaveness.se)  
[asiakaspalvelu@klaveness.fi](mailto:asiakaspalvelu@klaveness.fi)



NÄBLING

FM 0871

35-50
   
 Textile L234, L314, L414
   
 446
   
 Beige Nubuck
   
 SOLE S952 PU



202
   
 Black Nappa
   
 SOLE S952 PU



392
   
 Dark Brown Waxed Nubuck
   
 SOLE S952 PU



SAME STYLE,  
AVAILABLE WITH LACES  
OR VELCRO FASTENERS



FM 0870-1

35-50
   
 Textile L234, L314, L414
   
 354
   
 Dark Brown Chevreau
   
 SOLE S952 PU



FM 0870

35-50
   
 Textile L244
   
 212
   
 Black Waxed Nubuck
   
 SOLE S952 PU



202
   
 Black Nappa
   
 SOLE S952 PU

MATCHES  
FITTING STOCK  
ME PRV14



202
   
 Black Nappa
   
 SOLE S952 PU



392
   
 Dark Brown Waxed Nubuck
   
 SOLE S952 PU



## NÅBLING

## FM 0872



35-50

Warm L217, L317

16.5 cm 28 cm

202  
Black Nappa

SOLE S952 PU

212  
Black Waxed Nubuck

SOLE S952 PU

SAME STYLE,  
AVAILABLE WITH LACES  
OR VELCRO FASTENERS

## FM 0872-1



35-50

Warm L217, L317

16.5 cm 28 cm

392  
Dark Brown Waxed Nubuck

SOLE S952 PU

202  
Black Nappa

SOLE S952 PU

## FOOTFORM

## FM 1391

35-50

Leather  
L301, L302, L401, L701202  
Black Nappa

SOLE S910 PU



NEW REHAB

FM 0716

	35-50
	Textile L244
	14 cm
	21 cm
862	
Blue Waxed Nubuck	
SOLE	S910 PU



Removable tongue

222  
Black Artificial Leather  
SOLE S910 PU

FM 0709

	35-50
	Textile L234, L314, L414
898	
Dark Blue Split Velour	
SOLE	S910 PU



For further information on "Stay-in" straps, please go to page 86

208  
Black Split Velour  
SOLE S932 EVA

**TIP** REPLACE THE "STAY-IN" STRAPS WITH STANDARD VELCRO STRAPS

FM 0702

	35-50
	Textile L704
214	
Black Nappa	
SOLE	S910 PU



**MATCHES**  
FITTING STOCK  
ME PRV18

"Stay-in" strap design

302  
Brown Waxed Nubuck  
SOLE S910 PU



NEW REHAB



SAME STYLE,  
AVAILABLE WITH LACES  
OR VELCRO FASTENERS



FM 0700

	35-50
	Textile L704
393	
Camel Nappa	
SOLE	S910 PU



FM 0701

	35-50
	Textile L704
202	
Black Nappa	
SOLE	S910 PU



**MATCHES**  
FITTING STOCK  
ME PRV10



202	
Black Nappa	
SOLE	S910 PU



337	
Dark Brown Pig Velour	
SOLE	S910 PU

NEW REHAB

FM 0704

	35-50		
	Textile L244		
	15 cm		26 cm
212			
Black Waxed Nubuck			
SOLE	S932 EVA		



REPLACE THE "STAY-IN" STRAPS WITH STANDARD VELCRO STRAPS




392  
Dark Brown Waxed Nubuck  
SOLE S910 PU




The "Stay-in" straps are wider towards the end to prevent them from slipping through the roller

Upon request, and if placing an OAS/OIL order, we can change the straps design



"Stay-in" strap



Standard strap



## FIA, OAS, OIL TIPS



TIP	AVAILABLE IN	DISPLAYED ON PAGE
Same style, available with laces or Velcro fasteners	FIA OAS OIL	20, 22, 32, 40, 41, 42, 45, 62, 69, 70, 82, 83, 85
Same style, available with laces, Velcro or dial-fastener	FIA OAS OIL	46, 72
Same style, available with Velcro or dial-fastener	FIA OAS OIL	73
Same style, available with laces or dial-fastener	FIA OAS OIL	59, 66
Same style, available with medial & lateral or medial zipper	FIA OAS OIL	37
Same style, available with single or double Velcro straps	FIA OAS OIL	31
Change back shaft material	OAS OIL	53
Replace the "Stay-in" straps with standard Velcro straps	OAS OIL	38, 84, 86
Modify facing	Options: <ul style="list-style-type: none"> <li>Change instep (move up towards the ankle or move forward towards the toes);</li> <li>Widen or narrow facing to adjust the gap between eyelets;</li> <li>Change opening (move forward towards the toes or move back towards the ankle)</li> </ul>	OAS OIL 71
Customise padding	Options: <ul style="list-style-type: none"> <li>Vamp</li> <li>Quarter</li> <li>Tongue</li> <li>Top edge</li> </ul>	OAS OIL 44
Bellows tongue: eyelets vs hooks	Hooks and closed hooks are more suitable for boots with bellows tongue	OAS OIL 48, 61, 77
Add mudguard	OAS OIL	50
Plain vamp styles are more suitable for OIL	OIL	31, 39, 51, 57, 62, 64, 67, 69
Choose any style on any last	OIL	19, 54, 63, 74

## STANDARD SOLES

Standard Soles are pre-made soles that are compatible with Klaveness standard lasts. Each sole has different characteristics, such as heel height and material composition. Selecting a heel height close to your lasts' heel height will deliver the best results.

Art.	Page	Art.	Page	Art.	Page	Art.	Page	Art.	Page	Art.	Page	Art.	Page
S111	92	S172	92	S411	90	S547	89	S640	96	S722	96	S852	94, 95
S112	92	S195	91	S412	90	S553	88	S642	96	S740	89, 93, 96	S857	93
S131	91	S212	91	S413	90, 93, 95	S554	88	S650	96	S751	96	S862	93, 95
S132	91	S213	91	S437	90	S557	88	S660	97	S752	96	S872	93
S141	91	S240	91	S511	88	S560	89	S680	97	S811	93, 95	S910	97
S147	91	S242	91	S517	88	S562	89	S690	96	S821 <b>NEW</b>	93	S932	97
S152	92	S320	95	S531	89	S563	89	S711	97	S822 <b>NEW</b>	93	S952	97
S153	92	S401	90	S532	89, 93	S571	89	S712	97	S840 <b>NEW</b>	93	S970	94
S170	92	S402	90	S542	89	S572	89	S721	96	S847	94, 95		

## KIDS

## NEMO

<p><b>S553</b></p>  <p><b>NOT SUITED FOR SANDALS</b></p>  <p>Nemo TN4 20-42 8 mm ≈80 g/Unit EVA, Rubber            Nemo TN2 25-38            Nemo TN6 Not Available            Nemo TN8 25-38</p>	<p><b>S511</b></p>  <p><b>NOT SUITED FOR SANDALS</b></p>  <p>Nemo TN4 20-42 7.5 mm ≈80 g/Unit EVA, Rubber            Nemo TN2 Not Available            Nemo TN6 Not Available            Nemo TN8 25-38</p> <p><b>NEW FOR TN8</b></p>
<p><b>S557</b></p>  <p><b>NOT SUITED FOR SANDALS</b></p>  <p>Nemo TN4 25-38 8 mm ≈80 g/Unit EVA, Rubber            Nemo TN2 Not Available            Nemo TN6 Not Available            Nemo TN8 25-38</p> <p><b>NEW FOR TN8</b></p>	<p><b>S517</b></p>  <p><b>NOT SUITED FOR SANDALS</b></p>  <p>Nemo TN4 20-42 7.5 mm ≈80 g/Unit EVA, Rubber            Nemo TN2 25-38            Nemo TN6 20-42            Nemo TN8 Not Available</p>
<p><b>S554</b></p>  <p><b>NOT SUITED FOR SANDALS</b></p>  <p>Nemo TN4 20-42 8 mm ≈80 g/Unit EVA, Rubber            Nemo TN2 Not Available            Nemo TN6 28-42            Nemo TN8 25-38</p>	

To complete the size range of Nemo TN2, TN4, TN6 or TN8, we suggest using Built or Milled EVA Soles. See page 98.

KIDS

HIKER

S562



S560



Hiker 20-39 4 mm ≈110 g/Unit TR

S563



Hiker 40-42 3 mm ≈150 g/Unit (Size 41) TR

S571



S572



Hiker 20-42 10 mm ≈90 g/Unit EVA, Rubber

S531



Hiker 20-23 8 mm ≈120 g/Unit (Size 23) Rubber

S532



Hiker 24-40 9 mm ≈160 g/Unit Vibram Rubber

S740



Hiker 41-44 10 mm ≈270 g/Unit (Size 41) Vibram PU, Rubber

TRACER

S547



S542



Tracer 20-42 13 mm ≈110 g/Unit PU

LISA EXTRA

S413



S411



S412



 Lisa Extra  
  1-10\*  
  13 mm  
  ≈150 g/Unit  
  PU, Rubber

S437



 Lisa Extra  
  3.5-10  
  7 mm  
  ≈130 g/Unit  
  EVA, Rubber

LISA EXTRA - 3 WIDTHS

S401



S402



 Lisa Extra  
  1-10  
  15 mm  
  ≈140 g/Unit  
  TR

(\* ) For sandals, please consider size range 2-10



## WOMEN

## ORTHO

+&gt;

S141



Ortho



2-9



13 mm



≈120 g/Unit



EVA, Rubber

S212



Ortho



2-10



10 mm



≈150 g/Unit



EVA, Rubber

S147



S213



S240



S131



S242



S132



Ortho



2,5-10



10 mm



≈100 g/Unit



EVA, Rubber



Ortho



2-10



10 mm



≈60 g/Unit



EVA

S195



Ortho



2-10



18 mm



≈190 g/Unit



TR

### ORTHO

S152



S153



Ortho 3-9 15 mm ≈210 g/Unit Rubber

### ORTHO - 3 WIDTHS

S172



S170



Ortho 1-10 15 mm ≈140 g/Unit PU

S112



S111



Ortho 1-10 10 mm ≈170 g/Unit TR

UNISEX

FREE

+>

S840



NEW!

Free 36-50 13 mm ≈180 g/Unit EVA, Vibram Arctic Grip Rubber

S532



NEW!

Free 36-41 9 mm ≈265 g/Unit Vibram Rubber

S821



NEW!

S740



Free 40-47 10 mm ≈270 g/Unit Vibram PU, Rubber

S822



NEW!

Free 36-47 12 mm ≈240 g/Unit EVA, Rubber

S413



S857



NEW SIZE RANGE

S811



S872



NEW SIZE RANGE

S862



Free 36-46 10 mm ≈195 g/Unit EVA, Rubber Free 35-46 13 mm ≈200 g/Unit PU, Rubber

FREE

S852



- Free
- 39-47
- 10 mm
- ≈180 g/Unit
- TR

FREE - 2 WIDTHS

NEW!

S847



- Free
- 36-46
- 7 mm
- ≈160 g/Unit
- EVA, Rubber

S970



- Free
- 36-46
- 15 mm
- ≈288 g/Unit
- Rubber



MEN

JO

S847



Jo 36-46 7 mm ≈160 g/Unit EVA, Rubber

S852



Jo 39-48 10 mm ≈180 g/Unit TR

S413



NEW COLOUR OPTION

S811



S862



Jo 35-48 13 mm ≈200 g/Unit PU, Rubber

THOM

S320



Thom 37-47 15 mm ≈130 g/Unit EVA

To complete the size range of the Thom last (35-50), we suggest using Built EVA Soles SE21 or SE22. See page 101.

THOR

S640



S642



Thor 35-46 10 mm ≈110 g/Unit EVA, Rubber

S722




S721



Thor 36-47 10 mm ≈200 g/Unit EVA, Rubber

S751



S740



Thor 40-47 10 mm ≈270 g/Unit Vibram PU, Rubber

S752



S650



Thor 40-46 12 mm ≈110 g/Unit XL Extralight EVA

Thor 36-50 12 mm ≈200 g/Unit PU

S690



Thor 40-48 17 mm ≈210 g/Unit PU

## MEN

## THOR - 3 WIDTHS

S712



S711



Thor



36-47



10 mm



≈230 g/Unit



TR

S660



Thor



35-52



17 mm



≈230 g/Unit



Neolite

S680



Thor



36-52



10 mm



≈170 g/Unit



Vibram Gumlite

## TREATMENT PURPOSE

## FOOTFORM | NEW REHAB

S932



Footform | New Rehab



35-50



12 mm



≈150 g/Unit



EVA

S910



Footform | New Rehab



35-50



12 mm



≈230 g/Unit



PU

## NÅBLING

S952



Nåbling



35-49



16 mm



≈240 g/Unit



PU

# BUILT AND MILLED EVA SOLES

Built and Milled EVA Soles are highly versatile, as they fit most lasts, widths and sizes. We can produce them to any heel height or to meet any other specification you require.

Art.	Page	Art.	Page	Art.	Page	Art.	Page	Art.	Page	Art.	Page	Art.	Page
S001B	99	SE15	100	SE40	99	SE50	100	SE61	99	SE71	100	SE85	100
S002C	99	SE21	101	SE41	99	SE51	100	SE62	99	SE72	100	SE86	100
SE2	100	SE22	101	SE42	99	SE52	100	SE63	99	SE73	100	SE87	100
SE3	100	SE23	101	SE43	99	SE53	99	SE64	99	SE74	100	SE88	100
SE4	101	SE24	101	SE44	99	SE54	99	SE65	99	SE75	100	SE89	100
SE6	99	SE25	101	SE45	99	SE55	99	SE66	100	SE80	100	SE90	100
SE8	99	SE26	101	SE46	99	SE57	99	SE67	100	SE81	100	SE91	100
SE9	101	SE37	99	SE47	99	SE58	99	SE68	100	SE82	100	SE92	100
SE11	100	SE38	99	SE48	99	SE59	99	SE69	100	SE83	99	SE93	100
SE14	99	SE39	99	SE49	99	SE60	99	SE70	100	SE84	99		

## BUILT EVA SOLES

We build up each midsole from an EVA block to the required height and configuration. A welt is attached, and a track is assembled as a separate part of the construction.

The standard EVA is Shore ≈50.

## MILLED EVA SOLES


The midsole unit is milled from an EVA block shaped according to your requirements. Milled soles are produced without layers of material and glue. They do not need a separate welt, as the wall in the milled EVA acts as a cup, concealing some of the footwear's visible height. Overall, it results in a lighter and more flexible sole.

The standard EVA is Shore ≈50.

- Conceals shoe volume by adding depth to the sole.
- No need for a separate welt - it is milled from the same EVA block as the midsole. Less glued layers result in a more flexible and appealing sole.

The heel height of Built and Milled EVA Soles is always defined by:

- The heel height of the last (or)
- The one specified in the order







BUILT EVA SE37

MILLED EVA SE53

BUILT EVA SE38

MILLED EVA SE54

BUILT EVA SE39

MILLED EVA SE55

BUILT EVA SE47

MILLED EVA SE63

BUILT EVA SE48

MILLED EVA SE64

BUILT EVA SE49

MILLED EVA SE65



BUILT EVA SE41

MILLED EVA SE60

BUILT EVA SE84

MILLED EVA SE62

BUILT EVA SE43

MILLED EVA SE61



BUILT EVA SE40

MILLED EVA SE57

BUILT EVA SE83

MILLED EVA SE58

BUILT EVA SE42

MILLED EVA SE59



GOOD GRIP

BUILT EVA SE6

BUILT EVA SE8

BUILT EVA SE14



GOOD GRIP

BUILT EVA SE44

BUILT EVA SE45

BUILT EVA SE46





BUILT EVA S001B










BUILT EVA S002C



**GOOD GRIP**

BUILT EVA SE3		MILLED EVA SE69
BUILT EVA SE11		MILLED EVA SE51
BUILT EVA SE15		MILLED EVA SE52

 All	 All	 4.5 mm	 EVA, TR
---	---	--	---




BUILT EVA SE80		MILLED EVA SE66
BUILT EVA SE81		MILLED EVA SE67
BUILT EVA SE82		MILLED EVA SE68

 All	 37>	 5 mm	 EVA, Vibram Arctic Grip
---	---	--	---



**NOT SUITED FOR SANDALS**

BUILT EVA SE91		<b>NEW SIZE RANGE</b>
		<b>NOT SUITED FOR SANDALS</b>
BUILT EVA SE92		<b>NEW SIZE RANGE</b>
BUILT EVA SE93		<b>NEW SIZE RANGE</b>

 All	 20-48	 4 mm	 EVA, Rubber
---	---	--	---




BUILT EVA SE85		MILLED EVA SE70
BUILT EVA SE86		MILLED EVA SE71
BUILT EVA SE87		MILLED EVA SE72



BUILT EVA SE88		MILLED EVA SE73
BUILT EVA SE89		MILLED EVA SE74
BUILT EVA SE90		MILLED EVA SE75

 All	 All	 5 mm	 EVA, Vibram Newflex
---	---	--	---




**GOOD GRIP**

BUILT EVA SE2		MILLED EVA SE50
---------------	---	-----------------

 All	 37>	 8 mm	 EVA, Rubber
---	---	--	---

**BUILT EVA SE21**

THIN

All All 4 mm EVA, Rubber

**BUILT EVA SE25**

ELEGANT

All 35> 4 mm EVA, Neolite

**BUILT EVA SE22**

GOOD GRIP

All 35> 13.5 mm 8.5 mm Vibram Gumlite

**BUILT EVA SE26**

All 35> 4 mm EVA, Rubber

**BUILT EVA SE24**

All 37> 15 mm 9 mm Vibram Gumlite

**BUILT EVA SE4**

**BUILT EVA SE9**

GOOD GRIP
































































All 40> 8 mm EVA, Vibram Gumlite

**BUILT EVA SE23**
























































GOOD GRIP

All 37> 15 mm 10 mm EVA, Rubber


## RECOMMENDED UPPER COLOURS (FIA)

	100 White Textile	1.0		223 Black Embossed Chevreaux	1.0-1.2		332 Brown Nappa	1.0-1.2
	102 White Nappa	1.0-1.2		224 Black Textile	1.4-1.6		333 Cognac Waxed Leather	1.8-2.0
	116 Off-white Chevreaux Velour	0.8-1.0		226 Black Stretch Nubuck	0.6-0.8		336 Brown Nubuck	1.2-1.4
	121 White Nappa	1.4-1.6		227 Black Textile	N/A		337 Dark Brown Pig Velour	1.5-1.7
	122 Off-white Nappa	1.0-1.2		243 Black Nappa	1.2-1.4		341 Light Brown Chevreaux	0.8-1.0
	133 White Embossed Chevreaux	1.0-1.2		244 Black Textile	1.0		346 Dark Brown Stretch Nubuck	0.8-1.0
	141 Silver Metallic Nappa	1.0-1.2		246 Black Waxed Nubuck	1.6-1.8		348 Brown Split Velour	1.2-1.4
	144 Gold Metallic Nappa	1.4-1.6		251 Black Coated Split	1.6-1.8		354 Dark Brown Chevreaux	0.8-1.0
	200 Brown Real Fur	1.5		257 Black Textile	1.0		368 Brown Chevreaux Velour	0.8-1.0
	201 Black Nappa	1.0-1.2		260 Black Coated Split	1.6-1.8		381 Dark Brown Nappa	1.0-1.2
	202 Black Nappa	1.0-1.2		273 Black Nappa	1.2-1.4		382 Dark Brown Nappa	1.0-1.2
	203 Black Nappa	1.4-1.6		279 Black Textile	1.0		383 Dark Brown Waxed Leather	1.8-2.0
	205 Black Patent Leather	1.0-1.2		283 Black Waxed Leather	1.8-2.0		392 Dark Brown Waxed Nubuck	1.4-1.6
	206 Black Nubuck	1.2-1.4		288 Black Printed Chevreaux	0.8-1.0		393 Camel Nappa	1.8-2.0
	208 Black Split Velour	1.2-1.4		299 Grey Textile	1.0		397 Camel Waxed Nubuck	1.4-1.6
	209 Black Croco	1.0-1.2		302 Brown Waxed Nubuck	1.4-1.6		407 Light Beige Pig Velour	1.5-1.7
	212 Black Waxed Nubuck	1.4-1.6		307 Camel Pig Velour	1.5-1.7		442 Beige Nappa	1.0-1.2
	214 Black Nappa	2.0-2.2		314 Brown Nappa	2.0-2.2		446 Beige Nubuck	1.2-1.4
	218 Black Stretch Lycra and Neoprene	1.4		321 Brown Nappa	1.0-1.2		456 Camel Chevreaux Velour	1.0-1.2
	221 Black Nappa	1.4-1.6		323 Dark Brown Waxed Nappa	1.2-1.4		466 Light Beige Stretch Nubuck	0.6-0.8
	222 Black Artificial Leather	N/A		330 Brown Textile	N/A		494 Bronze Metallic Nappa	1.4-1.6



	518 Beige Split Velour	1.2-1.4		823 Blue Embossed Chevreaux	1.0-1.2		904 Lilac Textile	0.6-0.8
	541 Dune Nappa	1.2-1.4		832 Dark Blue Nappa	1.0-1.2		911 Burgundy Chevreaux	0.8-1.0
	566 Yellow Nubuck	1.4-1.6		834 Dark Blue Nappa	1.4-1.6		916 Pink Nubuck	1.2-1.4
	572 Light Brown Nubuck	1.4-1.6		836 Dark Blue Nubuck	1.4-1.6		926 Red Nubuck	1.4-1.6
	596 Mustard Nubuck	1.2-1.4		837 Blue Pig Velour	1.4-1.6		927 Burgundy Pig Velour	1.5-1.7
	632 Green Nappa	1.2-1.4		846 Dark Blue Stretch Nubuck	0.6-0.8		933 Red Embossed Chevreaux	1.0-1.2
	654 Olive Waxed Nubuck	1.4-1.6		862 Blue Waxed Nubuck	1.4-1.6		938 Red Split Velour	1.2-1.4
	658 Olive Split Velour	1.2-1.4		865 Dark Blue Patent Chevreaux	0.8-1.0		946 Burgundy Nubuck	1.6-1.8
	700 Grey Textile	1.0		868 Dark Blue Chevreaux Velour	0.8-1.0		950 Orange Textile	1.0
	707 Light Grey Pig Velour	1.5-1.7		870 Blue Textile	0.8		954 Red Textile	0.6-0.8
	717 Grey Pig Velour	1.5-1.7		874 Blue Nappa	0.9-1.1		958 Red Split Velour	1.2-1.4
	722 Grey Chevreaux	0.8-1.0		877 Blue Textile	2.7		962 Red Nappa	1.0-1.2
	737 Grey Pig Velour	1.5-1.7		878 Blue Split Velour	1.2-1.4		968 Lilac Split Velour	1.2-1.4
	738 Grey Split Velour	1.2-1.4		886 Blue Nubuck	1.6-1.8		972 Burgundy Waxed Nubuck	1.4-1.6
	754 Dark Grey Waxed Nubuck	1.4-1.6		888 Dark Blue Printed Chevreaux	0.8-1.0		980 Pink Printed Nubuck	1.4-1.6
	770 Grey Textile	0.8		892 Dark Blue Waxed Nubuck	1.4-1.6		981 Orange Chevreaux	0.8-1.0
	786 Grey Nubuck	1.6-1.8		898 Dark Blue Split Velour	1.2-1.4		987 Red Pig Velour	1.5-1.7
	800 Blue Textile	1.0		900 Pink Textile	1.0			
	821 Blue Nappa	1.4-1.6		902 Fuxia Nappa	1.2-1.4			

### How to read this chart



Find detailed information at [klaveness.no](http://klaveness.no), on the Materials Guide section

## LININGS














## WARM

	L107	White	
	L230	Black	Real Lamb Fur
	L330	Light Brown	
	L217	Grey	Felt, 3 mm foam
	L317	Brown	
	L327	Brown	Synthetic Fur

## LEATHER

	L110	Off-white	Chrome-free, soft
	L111	Off-white	Chrome-free, soft and perforated
	L211	Black	Cow, firm and durable
	L312	Cognac	
	L411	Beige	Cow, extra soft
	L301	Cognac	
	L302	Dark brown	Pig
	L401	Beige	
	L701	Dark Grey	
	L421	Beige	Chrome-free, vegetable

## TEXTILE

	L101	White	Lycra Neoprene, stretch
	L201	Black	
	L204	Black	Carmen, 4 mm foam, comfortable and durable
	L224	Black	Drytex, 3 mm foam, resistant to friction
	L724	Grey	
	L234	Black	
	L314	Brown	Coverlining, 3 mm HD foam
	L414	Beige	
	L244	Black	Pashmina, 2 mm foam, velvety touch
	L254*	Black	Coverlining, 1.8 mm, soft*
	L415*	Beige	
	L704	Grey	Perlon Velour, 3 mm foam, comfortable
	L714	Light Grey	Duka, 2 mm foam, smooth and fresh

(\*) Only for FM 0987

The linings displayed next to each article are the main standard lining (and colour variants)


Find detailed information at [klaveness.no](http://klaveness.no), on the Materials Guide section

# FITTING STOCK


Klaveness' Fitting Stock is a tool used to help you determine the most suitable last and size for your patient.

It consists of an assortment of standard footwear built on all FIA lasts and delivered in the complete size range; it includes ½ pair of Standard Soles and a set of bottom shape patterns (in all lasts and sizes).

**5 PAIRS  
PER ARTICLE**  
MINIMUM QUANTITY  
when ordering  
**FITTING SHOES**

	ARTICLE # FITTING STOCK	ARTICLE # FIA	FIA SOLE	DISPLAYED ON PAGE
Hiker	ME PRV19	FM 9358	S571	20
Nemo TN2 (Narrow)	ME PRV26	FM 9376	S553	14
Nemo TN4 (Standard)	ME PRV20	FM 9369	S517	12
Nemo TN4 (Standard)	ME PRV25	FM 9376	S553	14
Nemo TN8 (Orthotic)	ME PRV24	FM 9376	S553	14
Pacer	ME PRV16	FM 9362	S547	--
Racer	ME PRV17	FM 9360	S572	--
Tracer	ME PRV23	FM 9323	S542	18
Free	ME PRV21	FM 1068	S847	56
Free Wide <b>NEW</b>	ME PRV27	FM 1068	S847	--
Lisa Extra Narrow	ME PRV12	FM 0994	S402	--
Lisa Extra Std	ME PRV11	FM 0994	S402	33
Lisa Extra Wide	ME PRV13	FM 0994	S402	--
Ortho Narrow	ME PRV5	FM 0912	S170	--
Ortho Std	ME PRV04	FM 0912	S170	40
Ortho Std (Slim Heel, Reduced Instep, Softer Toe Cap)	ME PRV2N	FM 0912	S170	--
Ortho Wide	ME PRV06	FM 0912	S170	--
Jo	ME PRV15	FM 1392	S862	66
Thom	ME PRV22	FM 1428	S320	79
Thor Narrow	ME PRV01N	FM 1309	S680	--
Thor Std	ME PRV1	FM 1309	S650	75
Thor Std (Slim Heel, Reduced Instep, Softer Toe Cap)	ME PRV3N	FM 1309	S650	--
Thor Wide	ME PRV1W	FM 1309	S680	--
Thor Wide (Softer Toe Cap)	ME PRV2W	FM 1309	S680	--
Footform	ME PRV9	FM 1391	S910	83
Nåbling	ME PRV14	FM 0870	S952	82
New Rehab	ME PRV10	FM 0700	S910	85
New Rehab	ME PRV18	FM 0702	S910	84

A set of bottom shape patterns is available for all Fitting Stock lasts and corresponding size ranges.



You can also download  
"Last Bottom Shapes"  
to print out yourself!

Find detailed information  
at klaveness.no, in the  
Downloads section



**FITTING STOCK**

# SIZE CHARTS

## ADULTS

MONDOPOINT	EU	UK
215	34	1,5
220	35	2,0
225	36	3,0
230	36	3,5
235	37	4,0
240	38	4,5
245	39	5,0
250	39	5,5
255	40	6,5
260	41	7,0
265	42	7,5
270	42	8,0
275	43	8,5
280	44	9,5
285	45	10,0
290	45	10,5
295	46	11,0
300	47	11,5
305	48	12,0
310	48	13,0
315	49	13,5
320	50	14,0
325	51	14,5
330	51	15,0
335	52	16,0
340	53	16,5

## CHILDREN

MONDOPOINT	EU	UK
125	20	4
130	21	4,5
135	21,5	5
135	22	5,5
140	23	6
145	23,5	6,5
150	24	7
155	25	7,5
160	26	8
165	26,5	8,5
165	27	9
170	27,5	9,5
175	28	10
175	28,5	10,5
180	29	11
180	29,5	11,5
185	30	12
190	31	12,5
200	32	13
205	33	1
215	34	1,5
220	35	2,0
225	36	3,0
230	36	3,5
235	37	4,0
240	38	4,5
245	39	5,0
250	39	5,5
255	40	6,5
260	41	7,0
265	42	7,5
270	42	8,0
275	43	8,5
280	44	9,5

## FIA DISCONTINUED STYLES

YOU CAN STILL ORDER THEM AS FIA DURING 2024



FM 9340

HIKER



FM 1315

THOR



FM 1370

THOR



FM 0717

NEW REHAB



FM 0904

FOOTFORM



# DO YOU MISS AN OLDER STYLE?

YOU CAN ORDER IT AS OAS AND OIL



FM 9362

RACER



FM 9365

RACER



FM 9361

RACER



FM 9366

RACER



FM 9363

RACER



FM 0943

LISA EXTRA



FM 15612

LISA EXTRA



FM 0977

LISA EXTRA



FM 0569

ORTHO



FM 0927

ORTHO



FM 1056

ORTHO



FM 0973

ORTHO



FM 0940

ORTHO



FM 1426

THOM





# CUSTOM-MADE FOOT ORTHOTICS COLLECTION

Klaveness offers a concept for Custom-Made Foot Orthotics (CMF), with various options to help you get the best product for your patient. You can ask Klaveness to design and produce the orthotics or, if you prefer, take part in the design process and send your requirements. Either way, with all our tools at your disposal, you will receive a product where minor or no adjustments will be needed to get a perfect fit, be it to the foot or your patient's shoes.

CMF Orthotics are designed to manage conditions that cause pain or discomfort when walking, running, or everyday activities.

DISCOVER MORE AT  
KLAVENESS.NO

OR ASK YOUR LOCAL  
CUSTOMER SERVICE

---

post@klaveness.no  
info@klaveness.se  
asiakaspalvelu@klaveness.fi





# STANDARD FOOT ORTHOTICS

Art.	Page	Art.	Page	Art.	Page
3D 0020	112	3D 0043	114	3D 0056	116
3D 0040	114	3D 0044	114	3D 0057	113
3D 0041	116	3D 0050	115	3D 0058	113
3D 0042	115	3D 0053	115	3D 0059	113

## COMPONENTS



## CUSTOMISABLE FEATURES





## TOP COVER OR PADDING MATERIAL OPTIONS

### LEATHER 3A 0021

**For top cover**  
Good absorption properties.  
Available in black or beige.



### COVERLINING 3A 0022

**For top cover**  
Soft surface for increased comfort.  
Available in black or beige.



### PORON 3A 0023

**For top cover or padding**  
Shock absorption and fungal resistance.  
Available with 1.5 mm or 3 mm, in black or beige.



### SYNTHETIC LEATHER 3A 0028

**For top cover**  
Washable and easy to slip on.



### THIN EVA 3A 0029

**For top cover**  
Smooth finishing, similar to the traditional Vacuum Formed Foot Orthotics.  
Available in black.



### ON STEAM 3A 0033

**For top cover**  
High vapour permeability/coefficient.  
Very short absorption time and high abrasion resistance.



### EVA FOAM 3 MM 3A 0056

**For top cover or padding**  
Thermoformable and durable, also suitable for padding and for CMF with a high heel cup.  
Available in black or orange.



### LUNAIRMED 3A 0057

**For top cover or padding**  
Shock absorption and soft surface. Thermoformable. Not advisable to be combined with high heel cup and 35 shore. Available with 2 or 3 mm, in black or beige.



### SOFT MICROTEX PERFORATED 3A 0058

**For top cover**  
Extra soft, perforated, breathable and easy to clean.  
Good option when sweat or liquid absorption on the surface is undesired.  
Very good breathability when combined with Milled EVA Diabetic Foot Orthotic.



### MICROTEX 3A 0059

**For top cover**  
Breathable and easy to clean. Good option when sweat or liquid absorption on the surface is undesired.  
Optimal result when combined with Milled EVA Diabetic Foot Orthotic.



### SHOCKICELL RED MEMORY 3A 0060

**For top cover or padding**  
Breathable and slow recovery material.  
Optimal result when combined with Milled EVA Diabetic Foot Orthotic.



## DESIGN CUSTOMISATIONS



3D 0020 3D 0057 3D 0058 3D 0059 3D 0044 3D 0043 3D 0056 3D 0040 3D 0042 3D 0050 3D 0053 3D 0041

	3D 0020	3D 0057	3D 0058	3D 0059	3D 0044	3D 0043	3D 0056	3D 0040	3D 0042	3D 0050	3D 0053	3D 0041
Length	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Outline	✓	✓	✓	✓	✓	✓	✓	✓	✓	✗	✗	✓
Cutting patterns	✓	✓	✓	✓	✓	✓	**	✓	✓	✓	✓	✓
Extended forefoot	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Ball/Heel thickness	✓	✓	✓	✓	✓	✓	✓	✗	✗	✗	✗	✗
Metatarsal pad/bar	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Toe crest	✓	✓	✓	✓	✓	✓	✗	✗	✗	✗	✗	✗
Toe filler	✓	✓	✓	✓	✓	✓	✗	✗	✗	✗	✗	✗
Keep foot position*	✓	✓	✓	✓	✓	✓	✗	✗	✗	✗	✗	✗
Thin-out front	✓	✓	✓	✓	✓	✓	✗	✗	✗	✗	✗	✗
Wedge	✓	✓	✓	✓	✓	✓	✓	✗	✗	✗	✗	✓
Arch support	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Sink	✓	✓	✓	✓	✓	✓	✗	✗	✗	✗	✗	✗
Heel cushioning (internal/external)	✓	✓	✓	✓	✓	✓	✗	✗	✗	✗	✗	✗
Extended cushioning	✓	✓	✓	✓	✓	✓	✗	✗	✗	✗	✗	✗
Heel cup height	✓	✓	✓	✓	✓	✓	✓	✗	✗	✗	✗	✗
Forefoot shape	✓	✓	✓	✓	✓	✓	✗	✗	✗	✗	✗	✗
Heel lock	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Narrow heel	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

(\*) Exclusive for foam box scans

(\*\*) uvex 1, uvex1 Sport, uvex 2, uvex 2 Trend, uvex G2-M

## MILLED EVA (STANDARD FOOT ORTHOTIC)

### 3D 0020

This foot orthotic is very versatile and the most customisable. For increased functionality, you can incorporate different types and material densities, top cover, cushioning placement, and supportive elements.



#### BASE MATERIAL

EVA in black (35, 45, 45 ESD or 55 Shore) or beige (35, 45 or 55 Shore). The choice of material will depend on the level of support, rigidity, and durability required.

The EVA base material is 40 mm thick.

#### PADDING


A layer of Poron, EVA, Shockicell Red Memory or Lunairmed can be added to provide additional cushioning and comfort.

#### TOP COVER

This is an optional layer of material applied to the surface that improves the appearance and protects from wear and tear. Depending on foot shape, activity level, and lifestyle, the options include leather, coverlining, EVA, Poron, or synthetic materials.


## MILLED EVA MULTISHORE FOOT ORTHOTIC 3D 0057

Dual-density EVA foot orthotic.  
Salmon 15 shore on the ground layer and  
beige 35 shore support layer on the cup and  
arch.



## MILLED EVA MULTISHORE FOOT ORTHOTIC 3D 0058

Dual-density EVA foot orthotic.  
Blue 30 shore on the ground layer and  
orange 60 shore support layer on the cup  
and arch.




## MILLED EVA MULTISHORE FOOT ORTHOTIC 3D 0059

Dual-density EVA foot orthotic.  
Blue 30 shore on the ground layer and grey  
40 shore support layer on the cup and arch.



## MILLED EVA MULTISHORE FOOT ORTHOTIC 3D 0044

Three-density EVA foot orthotic. Black 50/55 shore on the ground layer, beige 30/35 shore on the mid-layer, and red 45/50 shore on the cup and arch support.



## MILLED EVA DIABETIC FOOT ORTHOTIC 3D 0043

Blue, soft open-cell EVA, 25 Shore.

Open-cell foam delivers softness while maintaining compression and allows airflow, making the foot orthotic more breathable and moisture-wicking.

Combine with a padding layer and top cover for optimal results.



## VACUUM FORMED COMPOSITE FOOT ORTHOTIC 3D 0040

These thin, lightweight foot orthotics offer a slim profile that fits comfortably into tight-fitting shoes with little volume.





## VACUUM FORMED FELT FOOT ORTHOTIC

3D 0042

These thermo-felt foot orthotics are warm, comfortable and breathable and have reinforcements on the arch and heel area.



## VACUUM FORMED EVA FOOT ORTHOTIC

3D 0050

These foot orthotics are made of compression-resistant EVA material and holds shape when high support is demanded. A smooth surface and pre-roughened outline with enough material for further customisation in your workshop.

Made from 16 mm EVA material, 45 Shore as a standard, they are always designed with a "Foot focus" outline.



## VACUUM FORMED CORK FOOT ORTHOTIC

3D 0053

These foot orthotics are made of compression-resistant EVA material that contains cork and holds shape when high support is demanded. A smooth surface and pre-roughened outline with enough material for further customisation in your workshop.

Made from 16 mm EVA material, 60 Shore as a standard, they are always designed with a "Foot focus" outline.



## MILLED UVEX FOOT ORTHOTIC 3D 0056

These foot orthotics are made with uvex materials and finishing processes. This way, they maintain safety and meet the regulations to hold the EN ISO 20345:2011 certification for orthopaedic safety footwear. By default, we remove the base material on the toe area.



**OUTGOING**

Limited quantity  
available

---


## MILLED PU POSITIVE 3D 0041

Milled in high-density PU, this positive is ideally suited for vacuum-forming foot orthotics at your workshop.



## KLAVENESS' FLATBED SCANNER FROM USOL

Klaveness' flatbed scanner (from USOL) delivers good foot measurements and has colour mapping on the surface. This solution is portable and easy to operate.



## K-LAB SCANNER APP

The Klaveness 3D scanner app works seamlessly with the Structure Sensor from Occipital and allows you to order custom-made foot orthotics from Klaveness.

With this tool, you can scan foam boxes on the go, and it is, so far, our most portable and affordable solution.



Scan and order  
with the same  
device.  
Click and go directly  
to the Online  
Configurator

To use this app, you will need the Structure Sensor by Occipital and an iPad. For more information on the Structure Sensor by Occipital, please visit [www.structure.io](http://www.structure.io)







Please refer to our website for further information on Sales & Delivery Conditions.

Vennligst se vår hjemmeside for mer informasjon om salg og leveringsbetingelser.

Besök vår hemsida för mer information om leverans och försäljningsvillkor.

Kotisivuiltamme löydät lisätietoja Myynti- & Toimitusehdoista.

Klaveness Footwear makes every effort to maintain the accuracy and quality of the information provided in this catalogue. However, Klaveness Footwear cannot guarantee and assumes no legal liability or commercial responsibility for the accuracy or completeness of the information provided. The information contained in this catalogue is for general guidance only. Product colours, materials, design and features may vary or even be changed due to product development or production circumstances. The materials used in the displayed styles in this catalogue are subject to stock availability at the time of ordering. Klaveness Footwear cannot be held liable for typographical and/or layout errors or any misinformation contained herein.

Klaveness Footwear gjør sitt ytterste for å opprettholde nøyaktighet og kvalitet på informasjonen i denne katalogen. Imidlertid kan Klaveness Footwear ikke garantere at informasjonen er fullstendig og påtar seg ikke juridisk eller kommersielt ansvar for nøyaktigheten. Informasjonen i denne katalogen er kun for generell veiledning. Produktfarger, materialer, design og funksjoner kan variere eller endres på grunn av produktutvikling og/eller produksjonsmessige omstendigheter. Materialet på modellene i denne katalogen er avhengig av levering og lagerstatus hos materialleverandør. Klaveness Footwear kan ikke holdes ansvarlig for typografiske og/eller layout feil eller annen feilinformasjon i dette dokumentet.

Klaveness Footwear gör sitt yttersta för att upprätthålla noggrannhet och kvalitet på informationen i den här katalogen. Klaveness Footwear kan dock inte garantera att informationen är fullständig och tar inget rättsligt och kommersiellt ansvar för dess riktighet. Informationen i denna katalog är endast allmän vägledning. Produktfärger, material, design och funktioner kan variera eller ändras på grund av produktutveckling och / eller produktionsrelaterade omständigheter. Materialet på modellerna i denna katalog är beroenda av leverans och lagerstatus hos materialleverantör. Klaveness Footwear kan inte hållas ansvarig för typografiska och / eller layout fel eller andra felaktigheter i detta dokument.

Klaveness Footwear tekee kaikkensa kuvastossa olevien tietojen oikeellisuuden varmistamiseksi. Kuitenkaan Klaveness Footwear ei voi taata, tai ottaa oikeudellista, tai kaupallista vastuuta kuvaston tietojen mahdollisista puutteista. Tämän kuvaston sisältämä tieto on tarkoitettu ainoastaan yleisohjeeksi. Tuotteiden värit, materiaalit, suunnittelu ja ominaisuudet voivat vaihtua tai ne voidaan tarkoituksellisesti muuttaa johtuen tuotekehityksestä tai tuotanto-olosuhteista. Tässä katalogissa esitellyissä malleissa käytettyjen valmistusmateriaalien saatavuus riippuu tilausketken varastotilanteesta. Klaveness Footwearia ei voida pitää oikeudellisesti vastuullisena kirjoitusvirheistä, asetteluvirheistä tai kuvastossa olevasta väärästä tiedosta.

In Portugal, Klaveness Footwear SA is certified under the ISO 14001 Environmental Management Systems and the ISO 9001 Quality Management Systems.





[facebook.com/Klaveness.Footwear](https://facebook.com/Klaveness.Footwear)



[instagram.com/klavenessfootwear](https://instagram.com/klavenessfootwear)



[linkedin.com/company/klaveness](https://linkedin.com/company/klaveness)

All Klaveness catalogues are available digitally.  
Scan the QR codes to access.

IF CATALOGUE



MSS CATALOGUE



**KLAVENESS**

**Klaveness Footwear AS**  
Lingelemveien 65J, 3225 Sandefjord | Norway

[klaveness.no](https://klaveness.no)

**CONTACT US**

Norway +47 33 48 97 00 | [post@klaveness.no](mailto:post@klaveness.no)  
Sweden +46 52 66 07 88 | [info@klaveness.se](mailto:info@klaveness.se)  
Finland +358 40 484 0088 | [asiakaspalvelu@klaveness.fi](mailto:asiakaspalvelu@klaveness.fi)